

according to Regulation (EC) No 1907/2006

# **FOSSER Monograde SAE 50**

Revision date: 03.07.2020 Product code: MIT0123 Page 1 of 8

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

FOSSER Monograde SAE 50

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Lubricating agent

#### Uses advised against

No information available.

# 1.3. Details of the supplier of the safety data sheet

Duran Lubricants & Chemicals GmbH

Street: Rodderheide 3-7 Place: D-33824 Werther

Telephone: +49 (0)5203-901510 Telefax: +49 (0)5203-901515

E-Mail: info@duran-oil.com Internet: www.fosser.de

1.4.Emergency Telephone number: Giftinformationszentrum Nord (Göttingen) - +49(0)551/19240

## **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## 2.2. Label elements

## Regulation (EC) No. 1272/2008

# Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

### 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures



according to Regulation (EC) No 1907/2006

# **FOSSER Monograde SAE 50**

Revision date: 03.07.2020 Product code: MIT0123 Page 2 of 8

#### **Hazardous components**

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	GHS Classification		•	
64742-54-7	Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic		19 - <= 32,9 %	
	265-157-1	649-467-00-8	01-2119484627-25	
	Asp. Tox. 1; H304			
68649-42-3	Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts 0 -		0 - <= 1,36 %	
	272-028-3			
	Eye Irrit. 2, Aquatic Acute 1, Aquatic Chronic 3; H319 H400 H412			

Full text of H and EUH statements: see section 16.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

# After inhalation

Remove casualty to fresh air and keep warm and at rest.

# After contact with skin

Take off contaminated clothing and wash it before reuse.

After contact with skin, wash immediately with plenty of water and soap.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Aspiration hazard

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

### Suitable extinguishing media

Use water spray jet to protect personnel and to cool endangered containers.

# Unsuitable extinguishing media

Full water jet

# 5.2. Special hazards arising from the substance or mixture

Non-flammable. The formation of combustible vapours is possible at temperatures above: Flash point In case of fire may be liberated:

Carbon dioxide (CO2). Carbon monoxide Nitrogen oxides (NOx)



according to Regulation (EC) No 1907/2006

# **FOSSER Monograde SAE 50**

Revision date: 03.07.2020 Product code: MIT0123 Page 3 of 8

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Full protection suit

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Fire class B

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation as well as local exhaustion at critical locations. Keep away from sources of ignition - No smoking. Avoid contact with eyes and skin.

Conditions to avoid Inhalation

Do not put any product-impregnated cleaning rags into your trouser pockets.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

# Advice on safe handling

Avoid contact with eyes and skin. Keep away from sources of ignition - No smoking. Wash hands before breaks and after work.

#### Advice on protection against fire and explosion

Take precautionary measures against static discharges.

### Further information on handling

Do not put any product-impregnated cleaning rags into your trouser pockets. The formation of combustible vapours is possible at temperatures above: Flash point

# 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed. Keep/Store only in original container.

# Hints on joint storage

No special measures are necessary.

# Further information on storage conditions

Protect from moisture. Keep only in the original container at temperature not exceeding 50 °C.

#### 7.3. Specific end use(s)

Lubricating agent



according to Regulation (EC) No 1907/2006

# **FOSSER Monograde SAE 50**

Revision date: 03.07.2020 Product code: MIT0123 Page 4 of 8

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
64742-54-7	64742-54-7 Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic			
Worker DNEL, long-term inhalation local 5,4 mg/m³			5,4 mg/m³	
Consumer DNEL, long-term inhalation local 1,2 mg/m³		1,2 mg/m³		

#### **PNEC** values

CAS No	o Substance	
Environmental	compartment	Value
64742-54-7 Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic		
Secondary poisoning 9,33 mg/kg		9,33 mg/kg

#### Additional advice on limit values

To date, no national critical limit values exist.

### 8.2. Exposure controls



### Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

#### Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink. Wash hands before breaks and after work.

## Eye/face protection

Wear eye protection/face protection. Wear eye/face protection. DIN EN 166

## Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear protective gloves. DIN EN 374

### Skin protection

Wear suitable protective clothing. DIN EN 374 Protective clothing.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Typ: A-P2



according to Regulation (EC) No 1907/2006

# **FOSSER Monograde SAE 50**

Revision date: 03.07.2020 Product code: MIT0123 Page 5 of 8

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: yellow

Odour: not determined

pH-Value: not determined

Changes in the physical state

Melting point: not determined

Pour point: -15 °C

Flash point: 256 °C

**Flammability** 

Solid: not applicable
Gas: not applicable
Lower explosion limits: not determined
Upper explosion limits: not determined

**Auto-ignition temperature** 

Solid: not applicable
Gas: not applicable

Decomposition temperature: not determined

**Oxidizing properties** 

Not oxidising.

Vapour pressure: not determined

Density (at 20 °C): 0,901 g/cm³

Water solubility: The study does not need to be conducted because the substance is known to be

insoluble in water.

Solubility in other solvents

not determined

Partition coefficient: not determined

Viscosity / kinematic: 205 mm²/s

(at 40 °C)

Vapour density: not determined Evaporation rate: not determined

9.2. Other information

Solid content: not determined

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.



according to Regulation (EC) No 1907/2006

# **FOSSER Monograde SAE 50**

Revision date: 03.07.2020 Product code: MIT0123 Page 6 of 8

## 10.3. Possibility of hazardous reactions

The formation of combustible vapours is possible at temperatures above: Flash point

#### 10.4. Conditions to avoid

No information available.

#### 10.5. Incompatible materials

Materials to avoid

Acids Oxidizing agent Reducing agent

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

#### Toxicocinetics, metabolism and distribution

No information available.

#### **Acute toxicity**

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-54-7	Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic				
	oral	LD50 >5000 mg/kg	Rat	ECHA Dossier	OECD 401
	dermal	LD50 >2000 mg/kg	Rabbit	ECHA Dossier	OECD 402

# Irritation and corrosivity

Frequently or prolonged contact with skin may cause dermal irritation.

#### Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

## **SECTION 12: Ecological information**

## 12.1. Toxicity

No information available.

#### 12.2. Persistence and degradability

Not readily biodegradable (according to OECD criteria)

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
64742-54-7	Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic			
	OECD 301F/ ISO 9408/ EEC 92/69/V, C.4-D 31% 28 ECHA Dossier		ECHA Dossier	
	Not readily biodegradable (according to OECD criteria)			
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C 2-4% 28 ECHA Dossier		ECHA Dossier	
	Not readily biodegradable (according to OECD criteria)			

# 12.3. Bioaccumulative potential

No information available.



according to Regulation (EC) No 1907/2006

# **FOSSER Monograde SAE 50**

Revision date: 03.07.2020 Product code: MIT0123 Page 7 of 8

#### 12.4. Mobility in soil

No information available.

# 12.5. Results of PBT and vPvB assessment

No information available.

#### 12.6. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

## Land transport (ADR/RID)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

## Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

# Marine transport (IMDG)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

#### Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no



according to Regulation (EC) No 1907/2006

# **FOSSER Monograde SAE 50**

Revision date: 03.07.2020 Product code: MIT0123 Page 8 of 8

#### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

Information according to 2012/18/EU

Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

**National regulatory information** 

Water contaminating class (D): 2 - clearly water contaminating

# 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,12,13,15,16.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration. 50%

LD50: Lethal dose, 50%

#### Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.

H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.
EUH210 Safety data sheet available on request.

# **Further Information**

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singulary responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)