

FOSSER Screenclean Winter -30°C

Revision date: 08.09.2021

Page 1 of 19

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

FOSSER Screenclean Winter -30°C

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Anti-freeze and de-icing products

Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Duran Lubricants & Chemicals GmbH Street: Rodderheide 3-7 Place: D-33824 Werther Telephone: +49 (0)5203-901510 Telefax: +49 (0)5203-901515 E-Mail: info@duran-oil.com Internet: www.fosser.de

1.4.Emergency Telephone number: Giftinformationszentrum Nord (Göttingen) - +49(0)551/19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Flammable liquid: Flam. Liq. 3 Serious eye damage/eye irritation: Eye Irrit. 2 Hazard Statements: Flammable liquid and vapour. Causes serious eye irritation.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling ethanol

Signal word:

Warning





Hazard statements

H226	Flammable liquid and vapour.
H319	Causes serious eye irritation.

Precautionary statements

P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks,

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No



FOSSER Screenclean Winter -30°C				
Revision date: 08.09.2021		Page 2 of 19		
P305+P351+P338	smoking. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
P337+P313	If eye irritation persists: Get medical advice/attention.			
P501	Dispose of contents / container in accordance with official regulations.			
2.3. Other hazards No information available.				

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
64-17-5	ethanol			30 - < 35 %
	200-578-6	603-002-00-5	01-2119457610-43	
	Flam. Liq. 2, Eye Irrit. 2; H225 H	319	•	
78-93-3	butanone			< 1 %
	201-159-0	606-002-00-3	01-2119457290-43	
	Flam. Liq. 2, Eye Irrit. 2, STOT S	E 3; H225 H319 H336 EUH	066	
68891-38-3	Alcohols, C12-14, ethoxylated, s	ulfates, sodium salts		< 0.1 %
	500-234-8		01-2119488639-16	
	Skin Irrit. 2, Eye Dam. 1, Aquatic			
138-86-3	Dipentene			< 0.1 %
	205-341-0	601-029-00-7	01-2120766421-57	
	Flam. Liq. 3, Skin Irrit. 2, Skin Se H400 H410	ns. 1, Aquatic Acute 1, Aqua	tic Chronic 1; H226 H315 H317	
5392-40-5	Citral			< 0.1 %
	226-394-6	605-019-00-3	01-2119462829-23	
	Skin Irrit. 2, Eye Irrit. 2, Skin Sen	s. 1; H315 H319 H317		
8000-41-7	Terpineol			< 0.1 %
	232-268-1		01-2119553062-49	
	Skin Irrit. 2, Eye Irrit. 2; H315 H3	19		
52-51-7	2-bromo-2-nitropropane-1,3-diol			< 0.1 %
	200-143-0	603-085-00-8	01-2119980938-15	
	Acute Tox. 4, Acute Tox. 4, Skin H315 H318 H335 H400	rrit. 2, Eye Dam. 1, STOT Sl	E 3, Aquatic Acute 1; H312 H302	

Full text of H and EUH statements: see section 16.



FOSSER Screenclean Winter -30°C

Revision date: 08.09.2021

Page 3 of 19

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Cond	Limits, M-factors and ATE	
64-17-5	200-578-6	ethanol	30 - < 35 %
	inhalation: L0	C50 = 124,7 mg/l (vapours); oral: LD50 = 10470 mg/kg	
78-93-3	201-159-0	butanone	< 1 %
	inhalation: L0	C50 = 34 mg/l (vapours); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2193 mg/kg	
68891-38-3	500-234-8	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	< 0.1 %
) = >= 2000 mg/kg; oral: LD50 = 4100 mg/kg Eye Dam. 1; H318: >= 10 - 100 319: >= 5 - < 10	
5392-40-5	226-394-6	Citral	< 0.1 %
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = ca. 6800 mg/kg		
52-51-7	200-143-0	2-bromo-2-nitropropane-1,3-diol	< 0.1 %
		50 = > 0,12 - < 1,14 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: ng/kg_M akut; H400: M=10	

Labelling for contents according to Regulation (EC) No 648/2004

perfumes, preservation agents (2-Bromo-2-nitropropane-1,3-diol).

Further Information

This mixture contains no substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off contaminated clothing and wash it before reuse. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. Call a doctor if you feel unwell.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth thoroughly with water.

Let water be drunken in little sips (dilution effect).

Do NOT induce vomiting.

In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



FOSSER Screenclean Winter -30°C

Revision date: 08.09.2021

Page 4 of 19

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use water spray jet to protect personnel and to cool endangered containers.

Co-ordinate fire-fighting measures to the fire surroundings.

- alcohol resistant foam
- Extinguishing powder
- Carbon dioxide (CO2)
- Water spray jet

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Non-flammable. Formation of toxic gases is possible during heating or in case of fire.

- In case of fire may be liberated:
 - Carbon monoxide (CO)
 - Carbon dioxide (CO2).
 - Pyrolysis products, toxic

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Use of protective clothing In case of fire and/or explosion do not breathe fumes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Dispose of waste according to applicable legislation.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Collect in closed and suitable containers for disposal. Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8



FOSSER Screenclean Winter -30°C

Revision date: 08.09.2021

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep only in the original container.

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

Further information on storage conditions

Store in a cool dry place.

7.3. Specific end use(s)

Anti-freeze and de-icing products

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
78-93-3	Butan-2-one (methyl ethyl ketone)	200	600		TWA (8 h)	WEL
		300	899		STEL (15 min)	WEL
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

Biological Monitoring Guidance Values (EH40)

CAS No	Substance	Parameter	Value	Test material	Sampling time
78-93-3	Butan-2-one	butan-2-one	70 µmol/L	urine	Post shift

Page 5 of 19



FOSSER Screenclean Winter -30°C

Revision date: 08.09.2021

Page 6 of 19

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
64-17-5	ethanol			
Worker DNEI	_, long-term	inhalation	systemic	950 mg/m³
Worker DNEI	_, long-term	dermal	systemic	343 mg/kg bw/day
Consumer DI	NEL, long-term	inhalation	systemic	114 mg/m ³
Consumer DI	NEL, long-term	dermal	systemic	206 mg/kg bw/day
Consumer DI	NEL, long-term	oral	systemic	87 mg/kg bw/day
67-63-0	propan-2-ol			
Consumer DI	NEL, long-term	dermal	systemic	319 mg/kg bw/day
Consumer DI	NEL, long-term	inhalation	systemic	89 mg/m³
Consumer DI	NEL, long-term	oral	systemic	26 mg/kg bw/day
Worker DNEI	_, long-term	dermal	systemic	888 mg/kg bw/day
Worker DNEI	_, long-term	inhalation	systemic	500 mg/m³
78-93-3	butanone			
Consumer DI	NEL, long-term	oral	systemic	31 mg/kg bw/day
Consumer DI	NEL, long-term	dermal	systemic	412 mg/kg bw/day
Consumer DI	NEL, long-term	inhalation	systemic	106 mg/m ³
Worker DNEI	., long-term	dermal	systemic	1161 mg/kg bw/day
Worker DNEI	_, long-term	inhalation	systemic	600 mg/m³
68891-38-3	Alcohols, C12-14, ethoxylated, sulfates, sodium	salts		
Worker DNEI	., long-term	inhalation	systemic	175 mg/m³
Worker DNEI	., long-term	dermal	systemic	2750 mg/kg bw/day
Consumer DI	NEL, long-term	inhalation	systemic	52 mg/m³
Consumer DI	NEL, long-term	dermal	systemic	1650 mg/kg bw/day
Consumer DI	NEL, long-term	oral	systemic	15 mg/kg bw/day
5392-40-5	Citral			
Worker DNEI	, long-term	inhalation	systemic	9 mg/m³
Worker DNEI	_, long-term	dermal	systemic	1,7 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	2,7 mg/m ³
Consumer DNEL, long-term		dermal	systemic	1 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,6 mg/kg bw/day
52-51-7	2-bromo-2-nitropropane-1,3-diol			
Worker DNEI	_, long-term	inhalation	systemic	3,5 mg/m³
Worker DNEL, acute		inhalation	systemic	10,5 mg/m ³
Worker DNEI	_, long-term	inhalation	local	2,5 mg/m ³
Worker DNEI	., acute	inhalation	local	2,5 mg/m ³



FOSSER Screenclean Winter -30°C

Page 7 of 19

Revision date: 08.09.2021			Page 7 of
Worker DNEL, long-term	dermal	systemic	2 mg/kg bw/day
Worker DNEL, acute	dermal	systemic	6 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	0,6 mg/m³
Consumer DNEL, acute	inhalation	systemic	1,8 mg/m³
Consumer DNEL, acute	inhalation	local	0,6 mg/m³
Consumer DNEL, long-term	dermal	systemic	0,7 mg/kg bw/day
Consumer DNEL, acute	dermal	systemic	2,1 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0,18 mg/kg bw/day
Consumer DNEL, acute	oral	systemic	0,5 mg/kg bw/day



FOSSER Screenclean Winter -30°C

Revision date: 08.09.2021

PNEC values

CAS No	Substance	
Environmenta	al compartment	Value
64-17-5	ethanol	•
Freshwater		0,96 mg/l
Freshwater (i	ntermittent releases)	2,75 mg/l
Marine water		0,79 mg/l
Freshwater se	ediment	3,6 mg/kg
Marine sedim	ent	2,9 mg/kg
Secondary po	bisoning	380 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	580 mg/l
Soil		0,63 mg/kg
67-63-0	propan-2-ol	•
Freshwater		140,9 mg/l
Freshwater (i	ntermittent releases)	140,9 mg/l
Marine water		140,9 mg/l
Freshwater se	ediment	552 mg/kg
Marine sedim	ent	552 mg/kg
Secondary po	bisoning	160 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	2251 mg/l
Soil 28 mg/kg		28 mg/kg
78-93-3	butanone	
Freshwater		55,8 mg/l
Freshwater (i	ntermittent releases)	55,8 mg/l
Marine water		55,8 mg/l
Freshwater se	ediment	284,74 mg/kg
Marine sedim	ent	284,7 mg/kg
Secondary po	bisoning	1000 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	709 mg/l
Soil		22,5 mg/kg
68891-38-3	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	
Freshwater		0,24 mg/l
Freshwater (intermittent releases) 0,071 mg/l		0,071 mg/l
Marine water 0,024 mg/l		0,024 mg/l
Freshwater sediment 0,917 mg/kg		0,917 mg/kg
Marine sediment 0,092 mg/kg		
Micro-organisms in sewage treatment plants (STP) 10000 mg/l		
Soil		7,5 mg/kg
5392-40-5	Citral	

Page 8 of 19



Revision date: 08.09.2021

Safety Data Sheet

FOSSER Screenclean Winter -30°C

Page 9 of 19

Freshwater (intermittent releases) 0,068		0,068 mg/l
Marine wate		0,001 mg/l
Freshwater	sediment	0,125 mg/kg
Marine sedir	ment	0,013 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	1,6 mg/l
Soil		0,021 mg/kg
52-51-7	2-bromo-2-nitropropane-1,3-diol	
Freshwater		0,01 mg/l
Freshwater (intermittent releases)		0,003 mg/l
Marine water		0,001 mg/l
Freshwater sediment		0,041 mg/kg
Marine sediment		0,003 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,43 mg/l
0	- , , ,	

8.2. Exposure controls







Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Keep away from food, drink and animal feedingstuffs.

Eye/face protection

During filling, metering, mixing and sampling must be used: Wear eye/face protection. DIN EN 166

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Recommended glove articles: EN ISO 374

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material: 0,4 mm

Breakthrough times and swelling properties of the material must be taken into consideration. Breakthrough time: > 8h

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.



FOSSER Screenclean Winter -30°C

Revision date: 08.09.2021

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and ch	emical properties
Physical state:	Liquid
Colour:	blue
Odour: Odour threshold:	characteristic
-	not determined
pH-Value (at 20 °C):	6,5 - 7,0
Changes in the physical state	
Melting point:	not determined
Boiling point or initial boiling point and boiling range:	> 78 °C
Flash point:	27 °C
Flammability	
Solid/liquid:	not applicable
Gas:	not applicable
Explosive properties Product is not explosive. However, f	ormation of explosive air/vapour mixtures are possible.
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Self-ignition temperature	
Solid:	not applicable
Gas:	not applicable
Decomposition temperature:	not determined
Oxidizing properties The product is not: oxidising.	
Vapour pressure:	not determined
Density (at 20 °C):	0.94 g/cm ³
Water solubility:	completely miscible
Solubility in other solvents not determined	
Partition coefficient n-octanol/water:	not determined
Relative vapour density:	not determined
Evaporation rate:	not determined
9.2. Other information	
Solid content:	not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquids. Vapours may form explosive mixtures with air.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

Page 10 of 19



FOSSER Screenclean Winter -30°C

Revision date: 08.09.2021

Page 11 of 19

10.3. Possibility of hazardous reactions

Reacts with : Oxidizing agent

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

10.5. Incompatible materials

- Materials to avoid:
 - Strong acid
 - Oxidising agent

10.6. Hazardous decomposition products

- Hazardous combustion products:
 - Carbon monoxide (CO)
 - Carbon dioxide (CO2)
 - Pyrolysis products, toxic

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.



FOSSER Screenclean Winter -30°C

Page 12 of 19

Revision date: 08.09.2021

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
64-17-5	ethanol							
	oral	LD50 mg/kg	10470	Rat	Study report (1976)	OECD Guideline 401		
	inhalation (4 h) vapour	LC50 mg/l	124,7	Rat	Study report (1980)	OECD Guideline 403		
78-93-3	butanone							
	oral	LD50 mg/kg	>2193	Rat				
	dermal	LD50 mg/kg	>2000	Rabbit	OECD 402			
	inhalation (4 h) vapour	LC50	34 mg/l	Rat				
68891-38-3	Alcohols, C12-14, ethoxylated, sulfates, sodium salts							
	oral	LD50 mg/kg	4100	Rat	Study report (1986)	OECD Guideline 401		
	dermal	LD50 mg/kg	>= 2000	Rat	Study report (2012)	OECD Guideline 402		
5392-40-5	Citral							
	oral	LD50 mg/kg	ca. 6800	Rat	Study report (1978)	Method: BASF-test according to internal		
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1978)	internal BASF-Test: single dose group ex		
52-51-7	2-bromo-2-nitropropane-1,3-diol							
	oral	LD50 mg/kg	211	Rat	Study report (2001)	OECD Guideline 401		
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2000)	OECD Guideline 402		
	inhalation (4 h) aerosol	LC50 1,14 mg/l	> 0,12 - <	Rat	Study report (2003)	OECD Guideline 403		

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

11.2. Information on other hazards



FOSSER Screenclean Winter -30°C

Revision date: 08.09.2021

Page 13 of 19

Endocrine disrupting properties

No information available.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.



FOSSER Screenclean Winter -30°C

Revision date: 08.09.2021

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
64-17-5	ethanol						
	Acute fish toxicity	LC50 mg/l	15400	96 h	Lepomis macrochirus	Bulletin of Environmental Contamination	other: EPA-660/3-75-00 9, 1975
	Acute algae toxicity	ErC50 22000 mg/l	ca.	96 h	Pseudokirchneriella subcapitata	Ecotoxicology and Environmental Safety 7	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	> 10000	48 h	Daphnia magna	Water Research 23(4): 495-499 (1989)	other: DIN 38412 Teil 11
	Fish toxicity	NOEC mg/l	> 79	100 d	Oryzias latipes	Environmental Toxicology and Chemistry,	Chronic effects of substance on reproduc
	Algae toxicity	NOEC mg/l	5400	5 d	Skeletonema costatum	Environ Toxicol Chem 8(5):451-455. (1989	Study to determine the sensitivity of a
	Crustacea toxicity	NOEC	2 mg/l	10 d	Ceriodaphnia dubia	Arch Environ Contam Toxicol 20(2):211-21	Follows the basic methodology for the th
8-93-3	butanone						
	Acute fish toxicity	LC50 mg/l	2993	96 h	Pimephales promelas	Study report (1998)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	2029	96 h	Pseudokirchneriella subcapitata	Study report (1998)	OECD Guideline 201
	Acute crustacea toxicity	EC50	308 mg/l	48 h	Daphnia magna	Study report (1998)	OECD Guideline 202
	Acute bacteria toxicity	(1972 mg/	1)		Pseudokirchneriella subcapitata	72h	
8891-38-3	Alcohols, C12-14, ethoxyl	ated, sulfates	s, sodium sa	alts		-	
	Acute fish toxicity	LC50	7,1 mg/l	96 h	Danio rerio	REACh Registration Dossier	other: EG Guideline 92/69 C.1
	Acute algae toxicity	ErC50 mg/l	27,7	72 h	Desmodesmus subspicatus	REACh Registration Dossier	other: EU-Guideline 92/69 EWG
	Acute crustacea toxicity	EC50	7,4 mg/l	48 h	Daphnia magna	REACh Registration Dossier	other: EG Guideline 92/69/EWG
	Fish toxicity	NOEC	0,2 mg/l	28 d	Oncorhynchus mykiss	REACh Registration Dossier	OECD Guideline 204
	Crustacea toxicity	NOEC mg/l	0,27	21 d	Daphnia magna	REACh Registration Dossier	OECD Guideline 211
5392-40-5	Citral			-			
	Acute fish toxicity	LC50 mg/l	6,78	96 h	Leuciscus idus	Study report (1989)	other: German standard DIN 38412, part L

Page 14 of 19



FOSSER Screenclean Winter -30°C

Revision date: 08.09.2021

Page 15 of 19

	Acute algae toxicity	ErC50 mg/l	103,8	72 h	Desmodesmus subspicatus	Study report (1989)	other: DIN 38412 L9
	Acute crustacea toxicity	EC50	6,8 mg/l	48 h	Daphnia magna	Study report (1988)	other: Directive 79/831 EWG, C2 annex V
	Acute bacteria toxicity	(ca. 160	mg/l)	0,5 h	activated sludge, domestic	Study report (1994)	OECD Guideline 209
52-51-7	2-bromo-2-nitropropane-2	1,3-diol					
	Acute fish toxicity	LC50 mg/l	35,7	96 h	Lepomis macrochirus	Study report (1984)	EPA OPP 72-1
	Acute algae toxicity	ErC50 mg/l	0,25	72 h	Skeletonema costatum	Study report (1998)	other: ISO guideline 10253 and U.S. EPA
	Acute crustacea toxicity	EC50	1,4 mg/l	48 h	Daphnia magna	Study report (1981)	OECD Guideline 202
	Fish toxicity	NOEC mg/l	21,5	49 d	Oncorhynchus mykiss	Study report (1996)	OECD Guideline 210
	Crustacea toxicity	NOEC mg/l	0,27	21 d	l Daphnia magna	Study report (1992)	OECD Guideline 211
	Acute bacteria toxicity	(ca. 230	mg/l)	0,5 h	Activated sludge	Study report (2002)	OECD Guideline 209

12.2. Persistence and degradability

CAS No	Chemical name					
	Method Value d Source					
	Evaluation					
64-17-5	ethanol					
	Biodegradation >70% 5					
	Readily biodegradable (according to OECD criteria).					
52-51-7	2-bromo-2-nitropropane-1,3-diol					
	OECD 301B	>70%				

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol	-0,77
78-93-3	butanone	0,3
68891-38-3	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	0,3
5392-40-5	Citral	2,76
52-51-7	2-bromo-2-nitropropane-1,3-diol	0,21

BCF

CAS No	Chemical name	BCF	Species	Source
64-17-5	ethanol	1	Cyprinus carpio	Comparative Biochemi
52-51-7	2-bromo-2-nitropropane-1,3-diol	3,16	calculated value	EPIWIN calculation (

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment



FOSSER Screenclean Winter -30°C

Revision date: 08.09.2021

The product has not been tested.

12.6. Endocrine disrupting properties

No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

/	
<u>14.1. UN number:</u>	UN 1987
14.2. UN proper shipping name:	ALCOHOLS, N.O.S. (Ethanol)
14.3. Transport hazard class(es):	3
14.4. Packing group:	111
Hazard label:	3
	$\langle \underline{a} \rangle$
	3
Classification code:	F1
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	30
Tunnel restriction code:	(D/E)
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	UN 1987
14.2. UN proper shipping name:	ALCOHOLS, N.O.S. (Ethanol)
14.3. Transport hazard class(es):	3
14.4. Packing group:	111
Hazard label:	3
	$\langle \underline{a} \rangle$
	3
Classification code:	F1
Special Provisions:	274
Limited quantity:	5 L

Page 16 of 19



FOSSER Screenclean Winter -30°C			
Revision date: 08.09.2021		Page 17 of 19	
Excepted quantity:	E1		
Marine transport (IMDG)			
<u>14.1. UN number:</u>	UN 1987		
14.2. UN proper shipping name:	ALCOHOLS, N.O.S. (Ethanol)		
14.3. Transport hazard class(es):	3		
14.4. Packing group:	III		
Hazard label:	3		
Special Provisions:	223, 274		
Limited quantity: Excepted quantity:	5 L E1		
EmS:	F-E, S-D		
Air transport (ICAO-TI/IATA-DGR)			
<u>14.1. UN number:</u>	UN 1987		
14.2. UN proper shipping name:	ALCOHOLS, N.O.S. (Ethanol)		
14.3. Transport hazard class(es):	3		
14.4. Packing group:	III		
Hazard label:	3		
Special Provisions:	A3 A180		
Limited quantity Passenger:	10 L		
Passenger LQ: Excepted quantity:	Y344 E1		
IATA-packing instructions - Passenger:	355		
IATA-max. quantity - Passenger:	60 L		
IATA-packing instructions - Cargo:	366		
IATA-max. quantity - Cargo:	220 L		
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	No		
14.6. Special precautions for user			
Warning: Combustible liquid.			
14.7. Maritime transport in bulk according to	o IMO instruments		
not applicable			
SECTION 15: Regulatory information			
15.1. Safety, health and environmental regul	lations/legislation specific for the substance or mixture		
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3			

2010/75/EU (VOC):

35,001 % (329,013 g/l)



	FOSSER Screenclean Winter -30°C
Revision date: 08.09.2021	Page 18 of
2004/42/EC (VOC): Information according to 2012/18/EU	35,004 % (329,039 g/l) P5c FLAMMABLE LIQUIDS
(SEVESO III):	
Additional information Regulation (EC) No. 648/2004 (Dete	ergents regulation).
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D):	1 - slightly hazardous to water
Chemical safety assessments for su SECTION 16: Other information	ibstances in this mixture were not carried out.
Changes This data sheet contains changes fr	om the previous version in section(s): 2,3,4,5,6,7,8,9,10,11,12,13,14,15.
Abbreviations and acronyms	
	oort des marchandises dangereuses par Route
	ne International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code f	•
IATA: International Air Transport Ass	ociation of Classification and Labelling of Chemicals
	sting Commercial Chemical Substances
ELINCS: European List of Notified C	

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules

MFAG: Medical First Aid Guide



FOSSER Screenclean Winter -30°C

Revision date: 08.09.2021

Page 19 of 19

ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Eye Irrit. 2; H319	Calculation method

Relevant H and EUH statements (number and full text)

Re	levant H and EUH stat	tements (number and full text)
	H225	Highly flammable liquid and vapour.
	H226	Flammable liquid and vapour.
	H302	Harmful if swallowed.
	H312	Harmful in contact with skin.
	H315	Causes skin irritation.
	H317	May cause an allergic skin reaction.
	H318	Causes serious eye damage.
	H319	Causes serious eye irritation.
	H335	May cause respiratory irritation.
	H336	May cause drowsiness or dizziness.
	H400	Very toxic to aquatic life.
	H410	Very toxic to aquatic life with long lasting effects.
	H412	Harmful to aquatic life with long lasting effects.
	EUH066	Repeated exposure may cause skin dryness or cracking.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)