

Fosser Gear Oil 85W-140 GL 5

Revision date: 13.01.2022

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Fosser Gear Oil 85W-140 GL 5

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture gear oil

Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Duran Lubricants & Chemicals GmbH Street: Rodderheide 3-7 Place: D-33824 Werther Telephone: +49 (0)5203-901510 Telefax: +49 (0)5203-901515 E-Mail: info@duran-oil.com Internet: www.fosser.de

1.4.Emergency Telephone number: Giftinformationszentrum Nord (Göttingen) - +49(0)551/19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Additional advice on labelling

According to EC directives or the corresponding national regulations the product does not have to be labelled.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Preparation of base oils and additives.

Further Information

This mixture contains no substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove affected person from the danger area and lay down.



Fosser Gear Oil 85W-140 GL 5

Revision date: 13.01.2022

Page 2 of 9

Do not leave affected person unattended.

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse. In case of skin irritation, consult a physician.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use water spray jet to protect personnel and to cool endangered containers.

Co-ordinate fire-fighting measures to the fire surroundings.

- Water spray jet
- Carbon dioxide (CO2).
- Extinguishing powder

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- In case of fire may be liberated:
 - Carbon monoxide (CO)
 - Carbon dioxide (CO2).
 - Sulphur dioxide (SO2)
 - Pyrolysis products, toxic

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Use of protective clothing In case of fire and/or explosion do not breathe fumes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures



Fosser Gear Oil 85W-140 GL 5

Revision date: 13.01.2022

Page 3 of 9

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Keep people at a distance and stay on the windward side. Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Wear protective gloves/protective clothing and eye/face protection.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Do not allow to enter into soil/subsoil.

Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation. Remove from the water surface (e.g. skimming, sucking).

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of oil dust. Use personal protection equipment. Do not put any product-impregnated cleaning rags into your trouser pockets. Clear spills immediately.

Advice on protection against fire and explosion

No special fire protection measures are necessary. Take precautionary measures against static discharges. Keep away from sources of ignition - No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place. Keep only in the original container. Store in a cool dry place. (Protect from moisture.) Floors should be impervious, resistant to liquids and easy to clean.

Hints on joint storage

- Do not store together with:
 - Materials capable of ignition under almost all normal temperature conditions
 - Explosives

7.3. Specific end use(s)

gear oil

SECTION 8: Exposure controls/personal protection



Fosser Gear Oil 85W-140 GL 5

Revision date: 13.01.2022

Page 4 of 9

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse.

Wash hands before breaks and after work.

When using do not eat, drink, smoke, sniff.

Eye/face protection

During filling, metering, mixing and sampling must be used: Wear eye/face protection. DIN EN 166

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Recommended glove articles: EN ISO 374

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material: 0,4 mm

Breakthrough times and swelling properties of the material must be taken into consideration. Breakthrough time: > 8h

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

<u>.</u>	Physical state: Colour: Ddour: Ddour: Ddour: Ddour threshold: DH-Value:		
	,	1	
	Colour:	brown	
	Odour:	Mineral-oil-like	
	Odour threshold:	not determined	
	pH-Value:		
	Changes in the physical state		
	Melting point:		
	Boiling point or initial boiling point and		

Revision No: 1,02 - Replaces version: 1,01

boiling range:

not determined not determined



Fosser Gear Oil 85W-140 GL 5								
Revision date: 13.01.2022			Page 5 of 9					
Pour point:	-18 °C	ISO 3016						
Flash point:	222 °C	DIN ISO 2592						
Flammability Solid/liquid: Gas:	not applicable not applicable							
Explosive properties Product is not explosive. However, formation of								
Lower explosion limits:	0,6 vol. %							
Upper explosion limits:	6,5 vol. %							
Self-ignition temperature Solid: Gas:	not applicable not applicable							
Decomposition temperature:	not determined							
Oxidizing properties The product is not: oxidising.								
Vapour pressure:	not determined							
Density (at 20 °C):	0,905 g/cm³	DIN 51757						
Water solubility: Solubility in other solvents not determined	practically insoluble							
Partition coefficient n-octanol/water:	not determined							
Viscosity / dynamic:	not determined							
Viscosity / kinematic: (at 40 °C)	495 mm²/s	DIN 51562						
Relative vapour density:	not determined							
Evaporation rate:	not determined							
9.2. Other information								
Solid content:	not determined							

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

The formation of combustible vapours is possible at temperatures above: Flash point

10.4. Conditions to avoid

Avoid: Thermal decomposition

10.5. Incompatible materials

Materials to avoid:

- Oxidising agent



Fosser Gear Oil 85W-140 GL 5

Revision date: 13.01.2022

Page 6 of 9

10.6. Hazardous decomposition products

- Hazardous combustion products:
 - Carbon monoxide (CO)
 - Carbon dioxide (CO2).
 - Sulphur dioxide (SO2)
 - Pyrolysis products, toxic

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met. The product contains less than 3% DMSO extract (method IP346). A classification as a carcinogen with R45 is deleted. (Note L)

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

SECTION 12: Ecological information

12.1. Toxicity

No information available.

12.2. Persistence and degradability

Not readily biodegradable (according to OECD criteria)

12.3. Bioaccumulative potential

Based on the n-octanol/water partition coefficient significant accumulation in organisms is not expected.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

No information available.



Fosser Gear Oil 85W-140 GL 5

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

Revision date: 13.01.2022

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:

14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:

Inland waterways transport (ADN)

14.1. UN number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

Marine transport (IMDG)

14.1. UN number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No

Page 7 of 9



	Fosser Gear Oil 85W-140 GL 5	
Revision date: 13.01.2022		Page 8 d
EU regulatory information		
Information according to 2012/18/EU	Not subject to 2012/18/EU (SEVESO III)	
(SEVESO III):		
National regulatory information		
Water hazard class (D):	2 - obviously hazardous to water	
5.2. Chemical safety assessment	stances in this with a surger wat as wind as it	
-	stances in this mixture were not carried out.	
ECTION 16: Other information		
Changes		
This data sheet contains changes from	m the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,12,13,15,16.	
Abbreviations and acronyms		
ADR: Accord européen sur le transpo	rt des marchandises dangereuses par Route	
(European Agreement concerning the	International Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code fo	r Dangerous Goods	
IATA: International Air Transport Asso	ciation	
GHS: Globally Harmonized System of	f Classification and Labelling of Chemicals	
EINECS: European Inventory of Exist	ting Commercial Chemical Substances	
ELINCS: European List of Notified Ch	nemical Substances	
CAS: Chemical Abstracts Service		
LC50: Lethal concentration, 50%		
LD50: Lethal dose, 50%		
CLP: Classification, labelling and Pac		
REACH: Registration, Evaluation and		
	f Classification, Labelling and Packaging of Chemicals	
UN: United Nations		
DNEL: Derived No Effect Level		
DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration		
ATE: Acute toxicity estimate		
LL50: Lethal loading, 50%		
EL50: Effect loading, 50%		
EC50: Effective Concentration 50%		
ErC50: Effective Concentration 50%,	-	
NOEC: No Observed Effect Concentr	ation	
BCF: Bio-concentration factor		
PBT: persistent, bioaccumulative, tox		
vPvB: very persistent, very bioaccum		
	rnational carriage of dangerous goods by rail	
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation		
	international des marchandises dangereuses par voles de navigation	
intérieures)		
EmS: Emergency Schedules		
MFAG: Medical First Aid Guide	onization	
ICAO: International Civil Aviation Orga		
MARDOL + International Convention for	or the Frevention of Manne Pollution from Ships	
MARPOL: International Convention fo		
IBC: Intermediate Bulk Container		



Fosser Gear Oil 85W-140 GL 5

Revision date: 13.01.2022

Page 9 of 9

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)