

Safety Data Sheet

FOSSER Premium Multi Longlife 5w-30

Revision date: 19.01.2022

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

FOSSER Premium Multi Longlife 5w-30

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Motor oil multigrade

Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Duran Lubricants & Chemicals GmbH
Street: Rodderheide 3-7
Place: D-33824 Werther
Telephone: +49 (0)5203-901510 Telefax: +49 (0)5203-901515
E-Mail: info@duranoil.com
Internet: www.fosser.de

1.4. Emergency Telephone number: Giftinformationszentrum Nord (Göttingen) - +49(0)551/19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Regulation (EC) No. 1272/2008

Special labelling of certain mixtures

EUH208 Contains Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts. May produce an allergic reaction.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Safety Data Sheet

FOSSER Premium Multi Longlife 5w-30

Revision date: 19.01.2022

Page 2 of 12

Hazardous components

| CAS No | Chemical name | | | Quantity |
|------------|---|--------------|------------------|------------|
| | EC No | Index No | REACH No | |
| | GHS Classification | | | |
| 64742-54-7 | Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified | | | 10 - 25 % |
| | 265-157-1 | 649-467-00-8 | 01-2119484627-25 | |
| | Asp. Tox. 1; H304 | | | |
| 70024-69-0 | Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts | | | < = 1,0 % |
| | 274-263-7 | | 01-2119492616-28 | |
| | Skin Sens. 1B; H317 | | | |
| | Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased | | | < = 0,25 % |
| | 701-251-5 | | | |
| | Repr. 1B, Aquatic Chronic 4; H360 H413 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|------------|---|---|------------|
| | Specific Conc. Limits, M-factors and ATE | | |
| 64742-54-7 | 265-157-1 | Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified | 10 - 25 % |
| | inhalation: LC50 = 5,53 mg/l (dusts or mists); dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg | | |
| | 701-251-5 | Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased | < = 0,25 % |
| | dermal: LD50 = > 4000 mg/kg; oral: LD50 = > 5000 mg/kg | | |

Further Information

This mixture contains no substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove affected person from the danger area and lay down.
 Do not leave affected person unattended.
 In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. Call a doctor if you feel unwell.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.
 Take off contaminated clothing and wash it before reuse.
 In case of skin irritation, consult a physician.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth thoroughly with water.

Safety Data Sheet

FOSSER Premium Multi Longlife 5w-30

Revision date: 19.01.2022

Page 3 of 12

Let water be drunken in little sips (dilution effect).
Do NOT induce vomiting.
In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use water spray jet to protect personnel and to cool endangered containers.
Co-ordinate fire-fighting measures to the fire surroundings.
- Water spray jet
- Carbon dioxide (CO₂).
- Extinguishing powder

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.
In case of fire may be liberated:
- Carbon monoxide (CO)
- Carbon dioxide (CO₂).
- Sulphur dioxide (SO₂)
- Pyrolysis products, toxic

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Use of protective clothing
In case of fire and/or explosion do not breathe fumes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Keep people at a distance and stay on the windward side.
Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Wear protective gloves/protective clothing and eye/face protection.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.
Do not allow to enter into soil/subsoil.
Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Safety Data Sheet

FOSSER Premium Multi Longlife 5w-30

Revision date: 19.01.2022

Page 4 of 12

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.
Remove from the water surface (e.g. skimming, sucking).

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of oil dust.
Use personal protection equipment.
Do not put any product-impregnated cleaning rags into your trouser pockets.
Clear spills immediately.

Advice on protection against fire and explosion

No special fire protection measures are necessary.
Take precautionary measures against static discharges.
Keep away from sources of ignition - No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.
Keep only in the original container. Store in a cool dry place. (Protect from moisture.)
Floors should be impervious, resistant to liquids and easy to clean.

Hints on joint storage

Do not store together with:
- Materials capable of ignition under almost all normal temperature conditions
- Explosives

7.3. Specific end use(s)

Motor oil multigrade

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

FOSSER Premium Multi Longlife 5w-30

Revision date: 19.01.2022

Page 5 of 12

DNEL/DMEL values

| CAS No | Substance | Exposure route | Effect | Value |
|--------------------------|---|----------------|--------|-------------------------|
| 64742-54-7 | Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified | | | |
| Worker DNEL, long-term | inhalation | systemic | | 2,73 mg/m ³ |
| Worker DNEL, long-term | inhalation | local | | 5,58 mg/m ³ |
| Worker DNEL, long-term | dermal | systemic | | 0,97 mg/kg bw/day |
| Consumer DNEL, long-term | inhalation | local | | 1,19 mg/m ³ |
| Consumer DNEL, long-term | oral | systemic | | 0,74 mg/kg bw/day |
| 70024-69-0 | Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts | | | |
| Consumer , long-term | inhalation | systemic | | 11,75 mg/m ³ |
| Worker , long-term | dermal | systemic | | 3,33 mg/kg bw/day |
| | | | | |
| | Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased | | | |
| Worker DNEL, long-term | inhalation | systemic | | 3,5 mg/m ³ |
| Worker DNEL, acute | inhalation | systemic | | 133,6 mg/m ³ |
| Worker DNEL, long-term | dermal | systemic | | 8,33 mg/kg bw/day |
| Worker DNEL, acute | dermal | systemic | | 80 mg/kg bw/day |
| Consumer DNEL, long-term | inhalation | systemic | | 0,87 mg/m ³ |
| Consumer DNEL, acute | inhalation | systemic | | 0,067 mg/m ³ |
| Consumer DNEL, long-term | dermal | systemic | | 4,2 mg/kg bw/day |
| Consumer DNEL, acute | dermal | systemic | | 40 mg/kg bw/day |
| Consumer DNEL, long-term | oral | systemic | | 0,25 mg/kg bw/day |
| Consumer DNEL, acute | oral | systemic | | 50 mg/kg bw/day |

Safety Data Sheet

FOSSER Premium Multi Longlife 5w-30

Revision date: 19.01.2022

Page 6 of 12

PNEC values

| CAS No | Substance | Value |
|------------|---|--------------|
| 64742-54-7 | Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified | |
| | Secondary poisoning | 9,33 mg/kg |
| 70024-69-0 | Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts | |
| | Freshwater | 1 mg/l |
| | Freshwater (intermittent releases) | 10 mg/l |
| | Marine water | 1 mg/kg |
| | Secondary poisoning | 16,667 mg/kg |
| | Micro-organisms in sewage treatment plants (STP) | 1000 mg/l |
| | Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased | |
| | Freshwater | 0,5 mg/l |
| | Freshwater (intermittent releases) | 5 mg/l |
| | Marine water | 0,05 mg/l |
| | Freshwater sediment | 1650 mg/kg |
| | Marine sediment | 165 mg/kg |
| | Secondary poisoning | 11,11 mg/kg |
| | Micro-organisms in sewage treatment plants (STP) | 100 mg/l |
| | Soil | 1340 mg/kg |

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse.

Wash hands before breaks and after work.

When using do not eat, drink, smoke, sniff.

Eye/face protection

During filling, metering, mixing and sampling must be used:

Wear eye/face protection. DIN EN 166

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Recommended glove articles: EN ISO 374

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material: 0,4 mm

Safety Data Sheet

FOSSER Premium Multi Longlife 5w-30

Revision date: 19.01.2022

Page 7 of 12

Breakthrough times and swelling properties of the material must be taken into consideration. Breakthrough time: > 8h

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|------------------|----------------|
| Physical state: | Liquid |
| Colour: | brown |
| Odour: | characteristic |
| Odour threshold: | not determined |

Test method

| | |
|-----------|----------------|
| pH-Value: | not determined |
|-----------|----------------|

Changes in the physical state

| | |
|----------------|----------------|
| Melting point: | not determined |
|----------------|----------------|

| | |
|---|----------------|
| Boiling point or initial boiling point and boiling range: | not determined |
|---|----------------|

| | |
|-------------|-----------------|
| Pour point: | -39 °C ISO 3016 |
|-------------|-----------------|

| | |
|--------------|-----------------|
| Flash point: | 230 °C ISO 2592 |
|--------------|-----------------|

Flammability

| | |
|---------------|----------------|
| Solid/liquid: | not applicable |
|---------------|----------------|

| | |
|------|----------------|
| Gas: | not applicable |
|------|----------------|

Explosive properties

Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

| | |
|-------------------------|----------------|
| Lower explosion limits: | not determined |
|-------------------------|----------------|

| | |
|-------------------------|----------------|
| Upper explosion limits: | not determined |
|-------------------------|----------------|

Self-ignition temperature

| | |
|--------|----------------|
| Solid: | not applicable |
|--------|----------------|

| | |
|------|----------------|
| Gas: | not applicable |
|------|----------------|

| | |
|----------------------------|----------------|
| Decomposition temperature: | not determined |
|----------------------------|----------------|

Oxidizing properties

The product is not: oxidising.

| | |
|------------------|----------------|
| Vapour pressure: | not determined |
|------------------|----------------|

| | |
|---------------------|----------------------------------|
| Density (at 20 °C): | 0,85 g/cm ³ DIN 51757 |
|---------------------|----------------------------------|

| | |
|-------------------|--|
| Water solubility: | The study does not need to be conducted because the substance is known to be insoluble in water. |
|-------------------|--|

Solubility in other solvents

not determined

| | |
|--|----------------|
| Partition coefficient n-octanol/water: | not determined |
|--|----------------|

Safety Data Sheet

FOSSER Premium Multi Longlife 5w-30

Revision date: 19.01.2022

Page 8 of 12

| | |
|--------------------------------------|---------------------------------|
| Viscosity / dynamic: | not determined |
| Viscosity / kinematic: (at 40 °C) | 73 mm ² /s DIN 51562 |
| Relative vapour density: | not determined |
| Evaporation rate: | not determined |

9.2. Other information

| | |
|----------------|-----------|
| Solid content: | 0,2 - 0,4 |
|----------------|-----------|

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

The formation of combustible vapours is possible at temperatures above: Flash point

10.4. Conditions to avoid

Avoid: Thermal decomposition

10.5. Incompatible materials

Materials to avoid:
- Oxidising agent

10.6. Hazardous decomposition products

Hazardous combustion products:
- Carbon monoxide (CO)
- Carbon dioxide (CO₂).
- Sulphur dioxide (SO₂)
- Pyrolysis products, toxic

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Safety Data Sheet

FOSSER Premium Multi Longlife 5w-30

Revision date: 19.01.2022

Page 9 of 12

| CAS No | Chemical name | | | | |
|------------|---|-------------------|---------|---------------------|--------------------|
| | Exposure route | Dose | Species | Source | Method |
| 64742-54-7 | Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified | | | | |
| | oral | LD50 > 5000 mg/kg | Rat | Study report (1982) | OECD Guideline 401 |
| | dermal | LD50 > 5000 mg/kg | Rabbit | Study report (1982) | OECD Guideline 402 |
| | inhalation (4 h) aerosol | LC50 5,53 mg/l | Rat | | OECD Guideline 403 |
| | Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased | | | | |
| | oral | LD50 > 5000 mg/kg | Rat | Study report (1986) | OECD Guideline 401 |
| | dermal | LD50 > 4000 mg/kg | Rabbit | Study report (1986) | OECD Guideline 402 |

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Contains Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

The product contains less than 3% DMSO extract (method IP346). A classification as a carcinogen with R45 is deleted. (Note L)

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Safety Data Sheet

FOSSER Premium Multi Longlife 5w-30

Revision date: 19.01.2022

Page 10 of 12

| CAS No | Chemical name | | | | | |
|------------|---|------------------|-----------|---------------------------------|---------------------|--------------------|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 64742-54-7 | Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified | | | | | |
| | Acute fish toxicity | LL50 > 100 mg/l | 96 h | Pimephales promelas | Study report (1995) | OECD Guideline 203 |
| | Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased | | | | | |
| | Acute fish toxicity | LL50 > 1000 mg/l | 96 h | Pimephales promelas | Study report (1993) | OECD Guideline 203 |
| | Acute algae toxicity | ErC50 > 500 mg/l | 96 h | Pseudokirchneriella subcapitata | Study report (1994) | OECD Guideline 201 |
| | Acute crustacea toxicity | EL50 > 1000 mg/l | 48 h | Daphnia magna | Study report (1993) | OECD Guideline 202 |
| | Acute bacteria toxicity | (> 1000 mg/l) | 3 h | activated sludge, domestic | Study report (1994) | OECD Guideline 209 |

12.2. Persistence and degradability

Not readily biodegradable (according to OECD criteria)

12.3. Bioaccumulative potential

Based on the n-octanol/water partition coefficient significant accumulation in organisms is not expected.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|--------|--|---------|
| | Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased | ca. 9,3 |

BCF

| CAS No | Chemical name | BCF | Species | Source |
|--------|--|-----|----------------|---------------------|
| | Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased | 2,2 | lipid triolein | Tribology – Solving |

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Safety Data Sheet

FOSSER Premium Multi Longlife 5w-30

Revision date: 19.01.2022

Page 11 of 12

Land transport (ADR/RID)

| | |
|--|--|
| 14.1. UN number: | No dangerous good in sense of this transport regulation. |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

Inland waterways transport (ADN)

| | |
|--|--|
| 14.1. UN number: | No dangerous good in sense of this transport regulation. |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

Marine transport (IMDG)

| | |
|--|--|
| 14.1. UN number: | No dangerous good in sense of this transport regulation. |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

Air transport (ICAO-TI/IATA-DGR)

| | |
|--|--|
| 14.1. UN number: | No dangerous good in sense of this transport regulation. |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water
Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging
REACH: Registration, Evaluation and Authorization of Chemicals

Safety Data Sheet

FOSSER Premium Multi Longlife 5w-30

Revision date: 19.01.2022

Page 12 of 12

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
UN: United Nations
CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration
ATE: Acute toxicity estimate
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
PBT: persistent, bioaccumulative, toxic
vPvB: very persistent, very bioaccumulative
ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Regulations concerning the international carriage of dangerous goods by rail
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation
intérieures)
IMDG: International Maritime Code for Dangerous Goods
EmS: Emergency Schedules
MFAG: Medical First Aid Guide
IATA: International Air Transport Association
ICAO: International Civil Aviation Organization
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
SVHC: Substance of Very High Concern
For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

Relevant H and EUH statements (number and full text)

| | |
|--------|--|
| H304 | May be fatal if swallowed and enters airways. |
| H317 | May cause an allergic skin reaction. |
| H360 | May damage fertility or the unborn child. |
| H413 | May cause long lasting harmful effects to aquatic life. |
| EUH208 | Contains Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts. May produce an allergic reaction. |

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)