

Fosser Screenclean Summer Readymix

Revision date: 09.09.2021

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Fosser Screenclean Summer Readymix

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cleaning agent

Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Duran Lubricants & Chemicals GmbH Street: Rodderheide 3-7 Place: D-33824 Werther Telephone: +49 (0)5203-901510 Telefax: +49 (0)5203-901515 E-Mail: info@duran-oil.com Internet: www.fosser.de

1.4.Emergency Telephone number: Giftinformationszentrum Nord (Göttingen) - +49(0)551/19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Regulation (EC) No. 1272/2008

Special labelling of certain mixtures

Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

2.3. Other hazards

FUH208

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



Fosser Screenclean Summer Readymix

Revision date: 09.09.2021

Page 2 of 14

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
68891-38-3	Alcohols, C12-14, ethoxyla	ted, sulfates, sodium salts		< 0.1 %
	500-234-8		01-2119488639-16	
	Skin Irrit. 2, Eye Dam. 1, A	quatic Chronic 3; H315 H318 H41	2	
2634-33-5	1,2-benzisothiazol-3(2H)-o	ne		< 0.1 %
	220-120-9	613-088-00-6	01-2120761540-60	
	Acute Tox. 4, Skin Irrit. 2, E H315 H318 H317 H400 H4			
5392-40-5	Citral	< 0.1 %		
	226-394-6	605-019-00-3	01-2119462829-23	
	Skin Irrit. 2, Eye Irrit. 2, Ski			
138-86-3	Dipentene	< 0.1 %		
	205-341-0	601-029-00-7	01-2120766421-57	
	Flam. Liq. 3, Skin Irrit. 2, S H400 H410			
52-51-7	2-bromo-2-nitropropane-1,3-diol			< 0.1 %
	200-143-0	603-085-00-8	01-2119980938-15	
	Acute Tox. 4, Acute Tox. 4, H315 H318 H335 H400	Skin Irrit. 2, Eye Dam. 1, STOT S	E 3, Aquatic Acute 1; H312 H302	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
68891-38-3	500-234-8	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	< 0.1 %
		= >= 2000 mg/kg; oral: LD50 = 4100 mg/kg Eye Dam. 1; H318: >= 10 - 100 19: >= 5 - < 10	
2634-33-5	220-120-9	1,2-benzisothiazol-3(2H)-one	< 0.1 %
	dermal: LD50	= > 2000 mg/kg; oral: LD50 = 670 mg/kg Skin Sens. 1; H317: >= 0,05 - 100	
5392-40-5	226-394-6	Citral	< 0.1 %
	dermal: LD50	= > 2000 mg/kg; oral: LD50 = ca. 6800 mg/kg	
52-51-7	200-143-0	2-bromo-2-nitropropane-1,3-diol	< 0.1 %
		50 = > 0,12 - < 1,14 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: g/kg M akut; H400: M=10	

Labelling for contents according to Regulation (EC) No 648/2004

perfumes, preservation agents (2-Bromo-2-nitropropane-1,3-diol).

Further Information

This mixture contains no substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH.

SECTION 4: First aid measures

4.1. Description of first aid measures



Fosser Screenclean Summer Readymix

Revision date: 09.09.2021

General information

Take off contaminated clothing and wash it before reuse.

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. Call a doctor if you feel unwell.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

- Foam
- Extinguishing powder
- Carbon dioxide (CO2)
- Water spray jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. Formation of toxic gases is possible during heating or in case of fire.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. No special technical protective measures are necessary.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Dispose of waste according to applicable legislation.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Use personal protection equipment. Page 3 of 14



Fosser Screenclean Summer Readymix

Revision date: 09.09.2021

Page 4 of 14

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Collect in closed and suitable containers for disposal. Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.

Advice on protection against fire and explosion No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep container tightly closed in a cool, well-ventilated place. Keep only in the original container.

Hints on joint storage

Do not store together with: Food and feedingstuffs. Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Store in a cool dry place. Protect against: Frost.

7.3. Specific end use(s)

Cleaning agent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



Fosser Screenclean Summer Readymix

Page 5 of 14

Revision date: 09.09.2021

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
68891-38-3	Alcohols, C12-14, ethoxylated, sulfates, sod	ium salts		
Worker DNEL,	long-term	inhalation	systemic	175 mg/m³
Worker DNEL,	long-term	dermal	systemic	2750 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	52 mg/m³
Consumer DN	EL, long-term	dermal	systemic	1650 mg/kg bw/day
Consumer DNI	EL, long-term	oral	systemic	15 mg/kg bw/day
2634-33-5	1,2-benzisothiazol-3(2H)-one			
Worker DNEL,	long-term	inhalation	systemic	6,81 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,966 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	1,2 mg/m³
Consumer DN	EL, long-term	dermal	systemic	0,345 mg/kg bw/day
5392-40-5	Citral			
Worker DNEL,	long-term	inhalation	systemic	9 mg/m³
Worker DNEL,	long-term	dermal	systemic	1,7 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	2,7 mg/m ³
Consumer DNI	EL, long-term	dermal	systemic	1 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	0,6 mg/kg bw/day
52-51-7	2-bromo-2-nitropropane-1,3-diol			
Worker DNEL,	long-term	inhalation	systemic	3,5 mg/m³
Worker DNEL,	acute	inhalation	systemic	10,5 mg/m³
Worker DNEL,	long-term	inhalation	local	2,5 mg/m³
Worker DNEL,	acute	inhalation	local	2,5 mg/m³
Worker DNEL,	long-term	dermal	systemic	2 mg/kg bw/day
Worker DNEL,	acute	dermal	systemic	6 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	0,6 mg/m³
Consumer DN	EL, acute	inhalation	systemic	1,8 mg/m³
Consumer DN	EL, acute	inhalation	local	0,6 mg/m³
Consumer DN	EL, long-term	dermal	systemic	0,7 mg/kg bw/day
Consumer DN	EL, acute	dermal	systemic	2,1 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	0,18 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	0,5 mg/kg bw/day



Fosser Screenclean Summer Readymix

Page 6 of 14

Revision date: 09.09.2021

PNEC values

CAS No Substance Value Environmental compartment 68891-38-3 Alcohols, C12-14, ethoxylated, sulfates, sodium salts Freshwater 0,24 mg/l Freshwater (intermittent releases) 0,071 mg/l Marine water 0,024 mg/l Freshwater sediment 0,917 mg/kg Marine sediment 0,092 mg/kg Micro-organisms in sewage treatment plants (STP) 10000 mg/l Soil 7,5 mg/kg 2634-33-5 1,2-benzisothiazol-3(2H)-one Freshwater 0,00403 mg/l Freshwater (intermittent releases) 0,0011 mg/l Marine water 0,000403 mg/l Freshwater sediment 0,0499 mg/kg Marine sediment 0,00499 mg/kg Micro-organisms in sewage treatment plants (STP) 1,03 mg/l Soil 3 mg/kg 5392-40-5 Citral Freshwater 0,007 mg/l Freshwater (intermittent releases) 0,068 mg/l Marine water 0,001 mg/l Freshwater sediment 0,125 mg/kg Marine sediment 0,013 mg/kg Micro-organisms in sewage treatment plants (STP) 1,6 mg/l Soil 0,021 mg/kg 52-51-7 2-bromo-2-nitropropane-1,3-diol Freshwater 0,01 mg/l Freshwater (intermittent releases) 0,003 mg/l Marine water 0,001 mg/l Freshwater sediment 0,041 mg/kg Marine sediment 0,003 mg/kg Micro-organisms in sewage treatment plants (STP) 0,43 mg/l Soil 0,5 mg/kg

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls



Fosser Screenclean Summer Readymix

Revision date: 09.09.2021

Page 7 of 14



Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Keep away from food, drink and animal feedingstuffs.

Eye/face protection

During filling, metering, mixing and sampling must be used:

Wear eye/face protection. DIN EN 166

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Recommended glove articles: EN ISO 374

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material: 0,4 mm

Breakthrough times and swelling properties of the material must be taken into consideration. Breakthrough time: > 8h

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour:	Liquid yellow	
Odour: Odour threshold:	characteristic not determined	
pH-Value (at 20 °C):		7,0 - 8,0
Changes in the physical state Melting point: Boiling point or initial boiling point and boiling range:		not determined > 100 °C
Flash point:		not determined
Flammability Solid/liquid: Gas:		not applicable not applicable
Explosive properties The product is not: Explosive.		
Lower explosion limits:		not determined



Fo	sser Screenclean Summer Readymix	
Revision date: 09.09.2021		Page 8 of 14
Upper explosion limits:	not determined	
Self-ignition temperature Solid: Gas: Decomposition temperature:	not applicable not applicable not determined	
Oxidizing properties The product is not: oxidising.		
Vapour pressure:	not determined	
Density (at 20 °C):	0,998 g/cm³	
Water solubility:	easily soluble	
Solubility in other solvents not determined		
Partition coefficient n-octanol/water:	not determined	
Viscosity / dynamic:	not determined	
Viscosity / kinematic:	not determined	
Relative vapour density:	not determined	
Evaporation rate:	not determined	
9.2. Other information		
Solid content:	not determined	

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

No known hazardous decomposition products.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No information available.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.



Fosser Screenclean Summer Readymix

Revision date: 09.09.2021

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
68891-38-3	Alcohols, C12-14, ethoxy	lated, sulfate	es, sodium sa	alts		
	oral	LD50 mg/kg	4100	Rat	Study report (1986)	OECD Guideline 401
	dermal	LD50 mg/kg	>= 2000	Rat	Study report (2012)	OECD Guideline 402
2634-33-5	1,2-benzisothiazol-3(2H)	-one				
	oral	LD50 mg/kg	670	Rat	Study report (1988)	OECD Guideline 401
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1994)	OECD Guideline 402
5392-40-5	Citral					
	oral	LD50 mg/kg	ca. 6800	Rat	Study report (1978)	Method: BASF-test according to internal
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1978)	internal BASF-Test: single dose group ex
52-51-7	2-bromo-2-nitropropane-	1,3-diol				
	oral	LD50 mg/kg	211	Rat	Study report (2001)	OECD Guideline 401
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2000)	OECD Guideline 402
	inhalation (4 h) aerosol	LC50 1,14 mg/l	> 0,12 - <	Rat	Study report (2003)	OECD Guideline 403

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

Page 9 of 14



Fosser Screenclean Summer Readymix

Revision date: 09.09.2021

CAS No Chemical name Aquatic toxicity Dose [h] | [d] Species Source Method 68891-38-3 Alcohols, C12-14, ethoxylated, sulfates, sodium salts 96 h Danio rerio LC50 REACh other: EG Acute fish toxicity 7,1 mg/l Registration Guideline 92/69 Dossier C.1 72 h Desmodesmus ErC50 27.7 REACh other: Acute algae toxicity Registration EU-Guideline mg/l subspicatus Dossier 92/69 EWG EC50 7.4 ma/l REACh other: EG Acute crustacea toxicity 48 h Daphnia magna Registration Guideline 92/69/EWG Dossier 28 d Oncorhynchus mykiss NOFC RFACh OFCD Guideline Fish toxicity 0,2 mg/l Registration 204 Dossier NOEC REACh OECD Guideline Crustacea toxicity 0.27 21 d Daphnia magna mg/l Registration 211 Dossier 2634-33-5 1,2-benzisothiazol-3(2H)-one REACh Acute fish toxicity LC50 ca. 16,7 96 h Cyprinodon variegatus other: Registration mg/l Dossier ErC50 0,15 72 h Pseudokirchneriella OECD Guideline Acute algae toxicity Study report mg/l subcapitata (1994) 201 EC50 Study report OECD Guideline Acute crustacea toxicity 2,94 48 h Daphnia magna (1995) 202 mg/l REACh OECD Guideline Acute bacteria toxicity (13 mg/l) 3 hactivated sludge of a predominantly Registration 209 domestic sewag Dossier 5392-40-5 Citral Acute fish toxicity LC50 96 h Leuciscus idus Study report other: German 6,78 mg/l (1989) standard DIN 38412, part L ErC50 103,8 72 h Desmodesmus Study report other: DIN 38412 Acute algae toxicity (1989) mg/l subspicatus 19 Acute crustacea toxicity EC50 48 h Daphnia magna Study report other: Directive 6,8 mg/l (1988) 79/831 EWG, C2 annex V OECD Guideline (ca. 160 mg/l) 0,5 h activated sludge, Study report Acute bacteria toxicity domestic (1994) 209 52-51-7 2-bromo-2-nitropropane-1,3-diol Acute fish toxicity LC50 35,7 96 h Lepomis macrochirus Study report EPA OPP 72-1 (1984) mg/l Study report Acute algae toxicity ErC50 0.25 72 h Skeletonema other: ISO guideline 10253 mg/l costatum (1998) and U.S. EPA Acute crustacea toxicity **EC50** 1,4 mg/l 48 h Daphnia magna Study report **OECD** Guideline (1981) 202 Fish toxicity NOEC 21,5 49 d Oncorhynchus mykiss Study report OECD Guideline (1996) 210 mg/l

Page 10 of 14



Fosser Screenclean Summer Readymix

Revision date: 09.09.2021

Page 11 of 14

Crustacea	a toxicity NO mg		0,27	21 d I	1 5	, ,	OECD Guideline 211
Acute bac	cteria toxicity ((ca. 230 mg	/I)	0,5 h	5	, ,	OECD Guideline 209

12.2. Persistence and degradability

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation		-		
52-51-7	2-bromo-2-nitropropane-1,3-diol				
	OECD 301B	>70%			

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68891-38-3	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	0,3
2634-33-5	1,2-benzisothiazol-3(2H)-one	0,63
5392-40-5	Citral	2,76
52-51-7	2-bromo-2-nitropropane-1,3-diol	0,21

BCF

CAS No	Chemical name	BCF	Species	Source
2634-33-5	1,2-benzisothiazol-3(2H)-one	ca. 6,62	Lepomis macrochirus	REACh Registration D
52-51-7	2-bromo-2-nitropropane-1,3-diol	3,16	calculated value	EPIWIN calculation (

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

There are no data available on the mixture itself.

12.6. Endocrine disrupting properties

No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:

No dangerous good in sense of this transport regulation.



Fo	sser Screenclean Summer Readymix	
Revision date: 09.09.2021	,	Page 12 of 14
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Inland waterways transport (ADN)		
14.1. UN number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Marine transport (IMDG)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	Νο	
14.6. Special precautions for user		
No dangerous good in sense of this tra	ansport regulation.	
14.7. Maritime transport in bulk according t		
No dangerous good in sense of this tra	ansport regulation.	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regu	lations/legislation specific for the substance or mixture	
EU regulatory information		
2004/42/EC (VOC):	0,005 % (0,05 g/l)	
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)	
Additional information		
Regulation (EC) No. 648/2004 (Deterg	gents regulation).	
National regulatory information		
Water hazard class (D): Skin resorption/Sensitization:	1 - slightly hazardous to water Causes allergic hypersensitivity reactions.	
15.2. Chemical safety assessment		
	stances in this mixture were not carried out.	
SECTION 16: Other information		

Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,12,13,15,16.



Fosser Screenclean Summer Readymix

Revision date: 09.09.2021

Page 13 of 14

Abbreviations and acronyms

CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals **UN: United Nations** CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LC50: Lethal concentration, 50% LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) IMDG: International Maritime Code for Dangerous Goods EmS: Emergency Schedules MFAG: Medical First Aid Guide IATA: International Air Transport Association ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

VOC: Volatile Organic Compounds

Relevant H and	EUH statements (number and full text)
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.



Fosser Screenclean Summer Readymix

Page 14 of 14

Revision date: 09.09.2021

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)