

## **FOSSER ATF-A**

Revision date: 08.04.2021

Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

FOSSER ATF-A

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

### Lubricating agent

## Uses advised against

No information available.

### 1.3. Details of the supplier of the safety data sheet

Duran Lubricants & Chemicals GmbH Street: Rodderheide 3-7 Place: D-33824 Werther Telephone: +49 (0)5203-901510 Telefax: +49 (0)5203-901515 E-Mail: info@duran-oil.com Internet: www.fosser.de

## 1.4.Emergency Telephone number: Giftinformationszentrum Nord (Göttingen) - +49(0)551/19240

## SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

### Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

### 2.2. Label elements

Regulation (EC) No. 1272/2008

#### Hazard components for labelling

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified methacrylate copolymer

#### Special labelling of certain mixtures

Safety data sheet available on request.

## 2.3. Other hazards

EUH210

No information available.

### **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### **Chemical characterization**

Preparation of base oils and additives.



## **FOSSER ATF-A**

Revision date: 08.04.2021

Page 2 of 10

## Hazardous components

CAS No	Chemical name	Chemical name			
	EC No	Index No	REACH No		
	GHS Classification				
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified				
	265-157-1	649-467-00-8	01-2119484627-25		
	Asp. Tox. 1; H304				
	methacrylate copolymer				
	Eye Irrit. 2; H319				

Full text of H and EUH statements: see section 16.

Questific Come Limits M factors and ATC

Specific Conc	. Limits, Mi-fac	tors and ATE			
CAS No	EC No	EC No Chemical name			
	Specific Conc. L	Specific Conc. Limits, M-factors and ATE			
64742-54-7	265-157-1 Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified				
	dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg				

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### **General information**

Remove affected person from the danger area and lay down. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

Provide fresh air. Call a doctor if you feel unwell.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse. In case of skin irritation, consult a physician.

### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

## After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media



## **FOSSER ATF-A**

Revision date: 08.04.2021

#### Suitable extinguishing media

Use water spray jet to protect personnel and to cool endangered containers.

Co-ordinate fire-fighting measures to the fire surroundings.

- Water spray jet
- alcohol resistant foam.
- Carbon dioxide (CO2).
- Extinguishing powder

#### Unsuitable extinguishing media

Full water jet

### 5.2. Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire may be liberated:

- Nitrogen oxides (NOx)
- Carbon monoxide (CO)
- Carbon dioxide (CO2).

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Use of protective clothing In case of fire and/or explosion do not breathe fumes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General measures

Keep people at a distance and stay on the windward side. Special danger of slipping by leaking/spilling product.

#### For non-emergency personnel

Wear protective gloves/protective clothing and eye/face protection.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Do not allow to enter into soil/subsoil.

Prevent spread over a wide area (e.g. by containment or oil barriers).

## 6.3. Methods and material for containment and cleaning up

#### For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### For cleaning up

Remove from the water surface (e.g. skimming, sucking).

## 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid formation of oil dust.

Page 3 of 10



## **FOSSER ATF-A**

Revision date: 08.04.2021

Use personal protection equipment.

Do not put any product-impregnated cleaning rags into your trouser pockets. Clear spills immediately.

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

Take precautionary measures against static discharges.

Keep away from sources of ignition - No smoking.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep only in the original container in a cool, well-ventilated place. Keep container tightly closed. Floors should be impervious, resistant to liquids and easy to clean.

#### Hints on joint storage

No special measures are necessary.

#### Further information on storage conditions

Note Regulation on facilities for the storage, filling and handling water-polluting substances. ..

## 7.3. Specific end use(s)

Lubricating agent

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

## **DNEL/DMEL** values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Base	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified		
Worker DNEL, long-terminhalationsystemic2,73 mg/m³		2,73 mg/m³		
Worker DNEL, long-term		inhalation	local	5,58 mg/m³
Worker DNEL, long-term		dermal	systemic	0,97 mg/kg bw/day
Consumer DNEL, long-term		inhalation	local	1,19 mg/m³
Consumer DNEL, long-term		oral	systemic	0,74 mg/kg bw/day

## **PNEC** values

CAS No	Substance		
Environmental compartment Value		Value	
64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified			
Secondary poisoning 9,33 mg/kg		9,33 mg/kg	

## Additional advice on limit values

To date, no national critical limit values exist.

#### 8.2. Exposure controls

Page 4 of 10



## **FOSSER ATF-A**

Revision date: 08.04.2021





### Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

#### Eye/face protection

During filling, metering, mixing and sampling must be used: Wear eye/face protection. DIN EN 166

### Hand protection

Preventive skin protection by use of skin-protecting agents is recommended.

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Tested protective gloves must be worn. EN ISO 374

### Skin protection

Wear suitable protective clothing.

### Respiratory protection

Usually no personal respirative protection necessary. In case of inadequate ventilation wear respiratory protection.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Colour:	Liquid red	
Odour:	Mineral-oil-like	
Odour threshold:	not determined	
		Test method
pH-Value:	not determined	
Changes in the physical state		
Melting point:	not determined	
Boiling point or initial boiling point and boiling range:	not determined	
Pour point:	-47 °C	ISO 3016
Flash point:	219 °C	DIN ISO 2592
Flammability		
Solid/liquid:	not applicable	
Gas:	not applicable	
Explosive properties Product is not explosive. However, fo	rmation of explosive air/vapour mixtures are possible.	
Lower explosion limits:	0,6 vol. %	

Page 5 of 10



	FOSSER ATF-A		
Revision date: 08.04.2021			Page 6 of 10
Upper explosion limits:	6,5 vol. %		
<b>Self-ignition temperature</b> Solid: Gas:	not applicable not applicable		
Decomposition temperature:	not determined		
<b>Oxidizing properties</b> The product is not: oxidising.			
Vapour pressure:	not determined		
Density (at 20 °C):	0,854 g/cm³	DIN 51757	
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.		
Solubility in other solvents not determined			
Partition coefficient n-octanol/water:	not determined		
Viscosity / kinematic: (at 40 °C)	37,8 mm²/s	DIN 51562	
Relative vapour density:	not determined		
Evaporation rate:	not determined		
9.2. Other information			
Solid content:	not determined		
SECTION 10: Stability and reactivity			

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

Reaction with: Oxidizing agent

## 10.4. Conditions to avoid

Avoid: Thermal decomposition

## 10.5. Incompatible materials

Materials to avoid:

- Acids
- Reducing agent
- Oxidising agent

## 10.6. Hazardous decomposition products

- Hazardous combustion products:
  - Carbon monoxide (CO)
  - Carbon dioxide (CO2)
  - Nitrogen oxides (NOx)

## **SECTION 11: Toxicological information**



## **FOSSER ATF-A**

Revision date: 08.04.2021

Page 7 of 10

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source Method	
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified					
	oral	LD50 > 5 mg/kg	5000	Rat	Study report (1982)	OECD Guideline 401
	dermal	LD50 > 5 mg/kg	5000	Rabbit	Study report (1982)	OECD Guideline 402

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

## Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met. The product contains less than 3% DMSO extract (method IP346). A classification as a carcinogen with R45 is deleted. (Note L)

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

Endocrine disrupting properties

### No information available.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

#### The product is not: Ecotoxic.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified					
	Acute fish toxicity	LL50 > 100 mg/l	96 h	Pimephales promelas	, ,	OECD Guideline 203

## 12.2. Persistence and degradability

The product has not been tested.

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### 12.4. Mobility in soil

The product has not been tested.

## 12.5. Results of PBT and vPvB assessment



## **FOSSER ATF-A**

Revision date: 08.04.2021

The product has not been tested.

#### 12.6. Endocrine disrupting properties

No information available.

#### 12.7. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

No dangerous good in sense of this transport regulation.

#### **SECTION 14: Transport information**

## Land transport (ADR/RID) 14.1. UN number:

14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Inland waterways transport (ADN) 14.1. UN number: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group: Marine transport (IMDG) 14.1. UN number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group: Air transport (ICAO-TI/IATA-DGR) 14.1. UN number: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: 14.5. Environmental hazards **ENVIRONMENTALLY HAZARDOUS:** No 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

Page 8 of 10



## **FOSSER ATF-A**

Revision date: 08.04.2021

## 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

## SECTION 15: Regulatory information

15.1. Safety, health and environmental	regulations/legislation s	specific for the substance or mixture
To: I: Ouloty; noulin and on thoman	regulatione/legiolation c	

### EU regulatory information

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III) (SEVESO III):

National regulatory information

2 - obviously hazardous to water

## 15.2. Chemical safety assessment

Water hazard class (D):

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,12,13,15,16.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration. 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules

Page 9 of 10



## **FOSSER ATF-A**

Revision date: 08.04.2021

Page 10 of 10

MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

### Relevant H and EUH statements (number and full text)

H304	May be fatal if swallowed and enters airways.
H319	Causes serious eye irritation.
EUH210	Safety data sheet available on request.

## **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)