

# **FOSSER Brake Fluid DOT4 LV**

Revision date: 18.02.2020 Page 1 of 11

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

FOSSER Brake Fluid DOT4 LV

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

brake fluids

## Uses advised against

No information available.

# 1.3. Details of the supplier of the safety data sheet

**Duran Lubricants & Chemicals GmbH** 

Street: Rodderheide 3-7 Place: D-33824 Werther

Telephone: +49 (0)5203-901510 Telefax: +49 (0)5203-901515

E-Mail: info@duran-oil.com Internet: www.fosser.de

1.4.Emergency Telephone number: Giftinformationszentrum Nord (Göttingen) - +49(0)551/19240

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No. 1272/2008

Hazard categories:

Reproductive toxicity: Repr. 2

Hazard Statements:

Suspected of damaging the unborn child.

# 2.2. Label elements

## Regulation (EC) No. 1272/2008

# Hazard components for labelling

Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate

Signal word: Warning

Pictograms:



## **Hazard statements**

H361d Suspected of damaging the unborn child.

# **Precautionary statements**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.



# **FOSSER Brake Fluid DOT4 LV**

Revision date: 18.02.2020 Page 2 of 11

P501 Dispose of contents/container to authorized waste disposal facility.

Special labelling of certain mixtures

EUH208 Contains Dihydro-3- (tetrapropenyl) furan-2,5-dione. May produce an allergic reaction.

2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### **Hazardous components**

CAS No	Chemical name					
	EC No	Index No	REACH No			
	GHS Classification	•	•			
30989-05-0	Tris[2-[2-(2-methoxyethoxy)ethoxy	oxy]ethyl] orthoborate		< 60 %		
	250-418-4		01-2119462824-33			
	Repr. 2; H361d	-	•			
143-22-6	2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutylether; butoxytriethylene glycol					
	205-592-6	603-183-00-0				
	Eye Dam. 1; H318					
111-77-3	2-(2-methoxyethoxy)ethanol; diethylene glycol monomethyl ether					
	203-906-6	603-107-00-6				
	Repr. 2; H361d ***	-				
26544-38-7	Dihydro-3- (tetrapropenyl) furan-2,5-dione					
	247-781-6		01-2119979080-37			
	Eye Irrit. 2, Skin Sens. 1A, Aquatic Chronic 4; H319 H317 H413					

Full text of H and EUH statements: see section 16.

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

Personal protection equipment: see section 8

Never give anything by mouth to an unconscious person or a person with cramps.

## After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary. Remove person to fresh air and keep comfortable for breathing.

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

## After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with skin, wash immediately with plenty of water and soap.



## **FOSSER Brake Fluid DOT4 LV**

Revision date: 18.02.2020 Page 3 of 11

#### After contact with eves

After eye contact: Rinse immediately carefully and thoroughly with eye-bath or water. Consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

## After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Induce vomiting when the affected person is not unconscious. Medical treatment necessary.

### 4.2. Most important symptoms and effects, both acute and delayed

The following symptoms may occur:: Allergic reactions, Conjunctival redness.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. alcohol resistant foam, Water spray jet, Dry extinguishing powder, Water mist, Carbon dioxide (CO2)

## Unsuitable extinguishing media

Full water jet

# 5.2. Special hazards arising from the substance or mixture

Non-flammable.

Heating causes rise in pressure with risk of bursting.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Evacuate area. Use personal protection equipment.

### **Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Keep people at a distance and stay on the windward side.

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

# 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Stop leak if safe to do so.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling



# **FOSSER Brake Fluid DOT4 LV**

Revision date: 18.02.2020 Page 4 of 11

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Avoid contact with skin, eyes and clothes. Use personal protective equipment as required.

# Advice on protection against fire and explosion

No special fire protection measures are necessary.

## Further information on handling

When using do not eat, drink or smoke. Wash hands before breaks and after work. Take off immediately all contaminated clothing and wash it before reuse.

# 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep container tightly closed in a cool, well-ventilated place.

Handle and open container with care.

## Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Keep away from: Base, Strong acid, Oxidizing agent

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

# 7.3. Specific end use(s)

brake fluids

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

## **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
111-77-3	2-(2-Methoxyethoxy)ethanol	10	50.1		TWA (8 h)	WEL



# **FOSSER Brake Fluid DOT4 LV**

Revision date: 18.02.2020 Page 5 of 11

#### **DNEL/DMEL values**

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
30989-05-0	Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate				
Worker DNEL	long-term	inhalation		29,1 mg/m³	
Consumer DN	EL, long-term	inhalation		7,2 mg/m³	
Worker DNEL	long-term	dermal		8,3 mg/kg bw/day	
Consumer DNEL, long-term		oral		4,1 mg/kg bw/day	
111-77-3	1-77-3 2-(2-methoxyethoxy)ethanol; diethylene glycol monomethyl ether				
Worker DNEL, long-term		dermal	systemic	0,53 mg/kg bw/day	
Worker DNEL	long-term	inhalation	systemic	50,1 mg/m³	
Consumer DNEL, long-term		dermal	systemic	0,27 mg/kg bw/day	
Consumer DNEL, long-term		inhalation	systemic	25 mg/m³	
Consumer DNEL, long-term		oral	systemic	1,5 mg/kg bw/day	

## 8.2. Exposure controls



## Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

# Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink

# Eye/face protection

Wear eye protection/face protection.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. DIN EN 374

## Skin protection

Wear suitable protective clothing.

# **Respiratory protection**

In case of inadequate ventilation wear respiratory protection. Full-/half-/quarter-face masks (DIN EN 136/140) Particle filter device (DIN EN 143), The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.



# **FOSSER Brake Fluid DOT4 LV**

Revision date: 18.02.2020 Page 6 of 11

#### **Environmental exposure controls**

Avoid release to the environment. To follow: Environmental precautions

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: amber
Odour: characteristic

pH-Value: 7

Changes in the physical state

Melting point: < -50 °C
Initial boiling point and boiling range: >260 °C
Pour point: not determined
Flash point: not determined

**Flammability** 

Solid: not applicable
Gas: not applicable

## **Explosive properties**

The study does not need to be conducted because there are no chemical groups associated with explosive properties present in the molecule.

Lower explosion limits: not determined Upper explosion limits: not determined

**Auto-ignition temperature** 

Solid: not applicable
Gas: not applicable

Decomposition temperature: not determined

**Oxidizing properties** 

Not oxidising.

Vapour pressure:

Vapour pressure:

not determined

not determined

not determined

1,02 -1,09 g/cm³

Water solubility:

miscible

Solubility in other solvents

miscible

Partition coefficient: not determined
Viscosity / dynamic: not determined
Viscosity / kinematic: 15 mm²/s

(at 20 °C)

Vapour density: not determined Evaporation rate: not determined

9.2. Other information

Solid content: not determined



# **FOSSER Brake Fluid DOT4 LV**

Revision date: 18.02.2020 Page 7 of 11

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

No known hazardous reactions.

## 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Safe handling: see section 7

## 10.5. Incompatible materials

Oxidising agent, strong

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

# **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
111-77-3	2-(2-methoxyethoxy)etha	2-(2-methoxyethoxy)ethanol; diethylene glycol monomethyl ether					
	oral	LD50 c mg/kg	ca. 6500	Rat			
	dermal	LD50 c mg/kg	ca. 6450	Rabbit			
	inhalation (1 h) vapour	LC50 > mg/l	> 200	Rat			
26544-38-7	Dihydro-3- (tetrapropenyl) furan-2,5-dione						
	oral	LD50 2 mg/kg	2900	Rat			
	dermal		>2000	Rat			
	inhalation (4 h) aerosol	LC50 5	5,3 mg/l	Rat			

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

Causes eye irritation. (OECD 405)

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation).

## Sensitising effects

Contains Dihydro-3- (tetrapropenyl) furan-2,5-dione. May produce an allergic reaction.

# Carcinogenic/mutagenic/toxic effects for reproduction



# **FOSSER Brake Fluid DOT4 LV**

Revision date: 18.02.2020 Page 8 of 11

Suspected of damaging the unborn child. (Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate; 2-

(2-methoxyethoxy)ethanol; diethylene glycol monomethyl ether)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

# **SECTION 12: Ecological information**

## 12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
30989-05-0	Tris[2-[2-(2-methoxyethox	(y)ethoxy]etl	hyl] orthobo	rate			
	Acute fish toxicity	LC50 mg/l	222,2	96 h			
	Acute crustacea toxicity	EC50 mg/l	211,2	48 h			
	Algea toxicity	NOEC mg/l	224,4	3 d			
111-77-3	2-(2-methoxyethoxy)ethanol; diethylene glycol monomethyl ether						
	Acute fish toxicity	LC50 mg/l	7500	96 h	Lepomis macrochirus		
	Acute algae toxicity	ErC50 mg/l	> 500	72 h	Desmodesmus subspicatus		
	Acute crustacea toxicity	EC50 mg/l	> 500	48 h	Daphnia magna		
26544-38-7	Dihydro-3- (tetrapropenyl	) furan-2,5-c	lione				
	Acute fish toxicity	LC50 mg/l	>100	96 h	Oncorhynchus mykiss (Rainbow trout)		
	Acute crustacea toxicity	EC50 mg/l	>100	48 h			
	Acute bacteria toxicity	(800 mg/	/I)	3 h			

## 12.2. Persistence and degradability

Biodegradable.



# **FOSSER Brake Fluid DOT4 LV**

Revision date: 18.02.2020 Page 9 of 11

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation			•	
26544-38-7	Dihydro-3- (tetrapropenyl) furan-2,5-dione				
	OECD 301D	9,9%	28		
	Not readily biodegradable (according to OECD criteria)				

# 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
111-77-3	2-(2-methoxyethoxy)ethanol; diethylene glycol monomethyl ether	-0,68

# 12.4. Mobility in soil

No information available.

## 12.5. Results of PBT and vPvB assessment

No information available.

# 12.6. Other adverse effects

No information available.

## **Further information**

Avoid release to the environment.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

# Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

# Inland waterways transport (ADN)

······································	
14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

## Marine transport (IMDG)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.



**FOSSER Brake Fluid DOT4 LV** 

Revision date: 18.02.2020 Page 10 of 11

14.3. Transport hazard class(es):
 14.4. Packing group:
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 54: 2-(2-methoxyethoxy)ethanol; diethylene glycol monomethyl ether

2010/75/EU (VOC): 62,98 % (642,396 g/l) 2004/42/EC (VOC): 2,99 % (30,498 g/l)

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

Print date: 17.07.2020

nursing mothers.

Water contaminating class (D): 1 - slightly water contaminating

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,12,13,15,16.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances



# **FOSSER Brake Fluid DOT4 LV**

Revision date: 18.02.2020 Page 11 of 11

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

## Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Repr. 2; H361d	Calculation method

# Relevant H and EUH statements (number and full text)

H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.

H361d Suspected of damaging the unborn child.

H413 May cause long lasting harmful effects to aquatic life.

EUH208 Contains Dihydro-3- (tetrapropenyl) furan-2,5-dione. May produce an allergic reaction.

## **Further Information**

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singulary responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)