

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### FOSSER FA11 Antifreeze

Revision date: 17.06.2020

Product code: MIT0045

Page 1 of 8

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

FOSSER FA11 Antifreeze

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

engine coolant

##### 1.3. Details of the supplier of the safety data sheet

Duran Lubricants & Chemicals GmbH

Street: Rodderheide 3-7

Place: D-33824 Werther

Telephone: +49 (0)5203-901510 Telefax: +49 (0)5203-901515

E-Mail: info@durand-oil.com

Internet: www.fosser.de

1.4. Emergency Telephone number: Giftinformationszentrum Nord (Göttingen) - +49(0)551/19240

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Regulation (EC) No. 1272/2008

Hazard categories:

Acute toxicity: Acute Tox. 4

Specific target organ toxicity - repeated exposure: STOT RE 2

Hazard Statements:

Harmful if swallowed.

May cause damage to organs through prolonged or repeated exposure.

##### 2.2. Label elements

###### Regulation (EC) No. 1272/2008


###### Hazard components for labelling

ethanediol; ethylene glycol

Signal word:

Warning

Pictograms:



###### Hazard statements

H302

Harmful if swallowed.

H373

May cause damage to organs through prolonged or repeated exposure.

###### Precautionary statements

P260

Do not breathe dust/fume/gas/mist/vapours/spray.

P264

Wash hands thoroughly after handling.

P270

Do not eat, drink or smoke when using this product.

P301+P312

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330

Rinse mouth.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### FOSSER FA11 Antifreeze

Revision date: 17.06.2020

Product code: MIT0045

Page 2 of 8

P501

Dispose of contents/container to Dispose of waste according to applicable legislation..

#### 2.3. Other hazards

No information available.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
107-21-1	ethanediol; ethylene glycol			90-95 %
	203-473-3	603-027-00-1	01-2119456816-28	
	Acute Tox. 4, STOT RE 2; H302 H373			
12045-78-2	Dipotassium tetraborate			0,25-0,5 %
	215-575-5			
	Repr. 2; H361d			

Full text of H and EUH statements: see section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

Keep people at a distance and stay on the windward side. Remove casualty to fresh air and keep warm and at rest.

##### After inhalation

Remove casualty to fresh air and keep warm and at rest. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

##### After contact with skin

Remove contaminated, saturated clothing immediately.  
After contact with skin, wash immediately with plenty of water and soap.

##### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

##### After ingestion

Rinse mouth immediately and drink plenty of water. Induce vomiting when the affected person is not unconscious. Medical treatment necessary.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### FOSSER FA11 Antifreeze

Revision date: 17.06.2020

Product code: MIT0045

Page 3 of 8

#### **Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.  
Carbon dioxide (CO<sub>2</sub>) Dry extinguishing powder.  
alcohol resistant foam. Water mist

#### **Unsuitable extinguishing media**

High power water jet.

#### **5.2. Special hazards arising from the substance or mixture**

Non-flammable. Formation of toxic gases is possible during heating or in case of fire.

#### **5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.  
Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

#### **6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### **6.4. Reference to other sections**

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

##### **Advice on protection against fire and explosion**

No special fire protection measures are necessary.

#### **7.2. Conditions for safe storage, including any incompatibilities**

##### **Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

##### **Hints on joint storage**

No special measures are necessary.

##### **Further information on storage conditions**

Store at temperatures not exceeding 40 °C/ °F.

#### **7.3. Specific end use(s)**

engine coolant

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### FOSSER FA11 Antifreeze

Revision date: 17.06.2020

Product code: MIT0045

Page 4 of 8

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
107-21-1	Ethane-1,2-diol, vapour	20	52		TWA (8 h)	WEL
		40	104		STEL (15 min)	WEL

### 8.2. Exposure controls



#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Eye/face protection

Wear eye protection/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. DIN EN 374

#### Skin protection

Wear suitable protective clothing.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection. A2, A2/P2, ABEK

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	yellow
Odour:	odourless
pH-Value:	8,4 (50%)

#### Changes in the physical state

Melting point:	-12 °C
Auto-ignition temperature:	>400 °C
Flash point:	111 °C

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### FOSSER FA11 Antifreeze

Revision date: 17.06.2020

Product code: MIT0045

Page 5 of 8

Sustaining combustion:	No data available
<b>Flammability</b>	
Solid:	not applicable
Gas:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined
<b>Auto-ignition temperature</b>	
Solid:	not applicable
Gas:	not applicable
Decomposition temperature:	not determined
<b>Oxidizing properties</b>	
Not oxidising.	
Vapour pressure:	not determined
Density (at 20 °C):	1,125 g/cm <sup>3</sup>
Water solubility:	easily soluble
<b>Solubility in other solvents</b>	
not determined	
Partition coefficient:	not determined
Viscosity / dynamic: (at 20 °C)	25,52 mPa·s
Viscosity / kinematic: (at 20 °C)	21 mm <sup>2</sup> /s
Vapour density:	not determined
Evaporation rate:	not determined
<b>9.2. Other information</b>	
Solid content:	not determined

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

Oxidising agent, strong Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### 10.5. Incompatible materials

Oxidising agent, strong acids. Bases.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### FOSSER FA11 Antifreeze

Revision date: 17.06.2020

Product code: MIT0045

Page 6 of 8

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity

Harmful if swallowed.

#### ATEmix calculated

ATE (oral) 526,4 mg/kg

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
107-21-1	ethanediol; ethylene glycol				
	oral	ATE mg/kg 500			
	dermal	LD50 mg/kg 10600	Rabbit	GESTIS	

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (ethanediol; ethylene glycol)

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## SECTION 12: Ecological information

### 12.1. Toxicity

The product is not: Ecotoxic.

### 12.2. Persistence and degradability

The product has not been tested.

### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
107-21-1	ethanediol; ethylene glycol	-1,36

### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The product has not been tested.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

Revision date: 17.06.2020

Product code: MIT0045

Page 7 of 8

### **12.6. Other adverse effects**

No information available.

### **Further information**

Avoid release to the environment.

## **SECTION 13: Disposal considerations**

### **13.1. Waste treatment methods**

#### **Advice on disposal**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### **Contaminated packaging**

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

## **SECTION 14: Transport information**

### **Land transport (ADR/RID)**

#### **14.1. UN number:**

No dangerous good in sense of this transport regulation.

#### **14.2. UN proper shipping name:**

No dangerous good in sense of this transport regulation.

#### **14.3. Transport hazard class(es):**

No dangerous good in sense of this transport regulation.

#### **14.4. Packing group:**

No dangerous good in sense of this transport regulation.

### **Inland waterways transport (ADN)**

#### **14.1. UN number:**

No dangerous good in sense of this transport regulation.

#### **14.2. UN proper shipping name:**

No dangerous good in sense of this transport regulation.

#### **14.3. Transport hazard class(es):**

No dangerous good in sense of this transport regulation.

#### **14.4. Packing group:**

No dangerous good in sense of this transport regulation.

### **Marine transport (IMDG)**

#### **14.1. UN number:**

No dangerous good in sense of this transport regulation.

#### **14.2. UN proper shipping name:**

No dangerous good in sense of this transport regulation.

#### **14.3. Transport hazard class(es):**

No dangerous good in sense of this transport regulation.

#### **14.4. Packing group:**

No dangerous good in sense of this transport regulation.

### **Air transport (ICAO-TI/IATA-DGR)**

#### **14.1. UN number:**

No dangerous good in sense of this transport regulation.

#### **14.2. UN proper shipping name:**

No dangerous good in sense of this transport regulation.

#### **14.3. Transport hazard class(es):**

No dangerous good in sense of this transport regulation.

#### **14.4. Packing group:**

No dangerous good in sense of this transport regulation.

### **14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: no

### **14.6. Special precautions for user**

No dangerous good in sense of this transport regulation.

### **14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

No dangerous good in sense of this transport regulation.

## **SECTION 15: Regulatory information**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### FOSSER FA11 Antifreeze

Revision date: 17.06.2020

Product code: MIT0045

Page 8 of 8

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

2004/42/EC (VOC): 94,99 % (1068,638 g/l)  
 Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

##### National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).  
 Water contaminating class (D): 1 - slightly water contaminating

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### Changes

This data sheet contains changes from the previous version in section(s): 2,4,5,6,7,9,11,12,13,15,16.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service  
 LC50: Lethal concentration, 50%  
 LD50: Lethal dose, 50%

#### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
STOT RE 2; H373	Calculation method

#### Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.  
 H361d Suspected of damaging the unborn child.  
 H373 May cause damage to organs through prolonged or repeated exposure.

#### Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*