

# Fosser Drive Formula 10W-40

Revision date: 16.06.2020

Page 1 of 8

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Fosser Drive Formula 10W-40

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Motor oil multigrade

## Uses advised against

No information available.

## 1.3. Details of the supplier of the safety data sheet

Duran Lubricants & Chemicals GmbH Street: Rodderheide 3-7 Place: D-33824 Werther Telephone: +49 (0)5203-901510 Telefax: +49 (0)5203-901515 E-Mail: info@duran-oil.com Internet: www.fosser.de

1.4.Emergency Telephone number: Giftinformationszentrum Nord (Göttingen) - +49(0)551/19240

## SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

## 2.2. Label elements

### 2.3. Other hazards

No information available.

The product contains less than 3% DMSO extract (method IP346). A classification as a carcinogen with R45 is deleted. (Note L)

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

# **Chemical characterization**

Preparation of base oils and additives.



# **Fosser Drive Formula 10W-40**

Revision date: 16.06.2020

Page 2 of 8

## Hazardous components

| CAS No     | Chemical name                        |              |                  |  |  |
|------------|--------------------------------------|--------------|------------------|--|--|
|            | EC No                                | Index No     | REACH No         |  |  |
|            | GHS Classification                   |              |                  |  |  |
| 64742-54-7 | Baseoil - unspecified, Distillates ( | 50-100 %     |                  |  |  |
|            | 265-157-1                            | 649-467-00-8 | 01-2119484627-25 |  |  |
|            | Asp. Tox. 1; H304                    |              |                  |  |  |
|            | Calcium alkyl phenates sulfide, lo   | <2,5 %       |                  |  |  |
|            |                                      |              |                  |  |  |
|            | Aquatic Chronic 4; H413              |              |                  |  |  |

Full text of H and EUH statements: see section 16.

#### **Further Information**

The product contains less than 3% DMSO extract (method IP346). A classification as a carcinogen with R45 is deleted. (Note L)

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

### **General information**

Remove affected person from the danger area and lay down.

## After inhalation

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

## After contact with skin

Take off contaminated clothing and wash it before reuse.

After contact with skin, wash immediately with plenty of water and soap.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

### After ingestion

Rinse mouth immediately and drink plenty of water. Get medical advice/attention if you feel unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

## No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. No information available.

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Carbon dioxide (CO2). Extinguishing powder Water spray jet

In case of major fire and large quantities: Water spray jet Co-ordinate fire-fighting measures to the fire surroundings.



Fosser Drive Formula 10W-40

Revision date: 16.06.2020

# Unsuitable extinguishing media

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire: Wear self-contained breathing apparatus.

## Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Keep people at a distance and stay on the windward side.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

### Advice on safe handling

Avoid formation of oil dust.

## Advice on protection against fire and explosion

No special measures are necessary.

## 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed. Note Regulation on facilities for the storage, filling and handling water-polluting substances. ..

#### Hints on joint storage

Do not store together with: Food flavouring and nutrient

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

Page 3 of 8



## Fosser Drive Formula 10W-40

Revision date: 16.06.2020

Page 4 of 8

### **DNEL/DMEL** values

| CAS No  | Substance   |  |  |           |  |  |
|---|---|--|--|-----------|--|--|
| DNEL type Exposure route Effect Value                     |   |  |  |           |  |  |
| 64742-54-7  | Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic |  |  |           |  |  |
| Worker DNEL, long-term inhalation local 5,4 mg/m³         |   |  |  |           |  |  |
| Consumer DNEL, long-term   inhalation   local   1,2 mg/m³ |   |  |  | 1,2 mg/m³ |  |  |
|   |   |  |  |           |  |  |

### **PNEC** values

| CAS No   | Substance |  |  |  |
|--|-----------|--|--|--|
| Environmental compartment Value  |           |  |  |  |
| 64742-54-7 Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic |           |  |  |  |
| Secondary poisoning 9,33 mg/kg   |           |  |  |  |

# Additional advice on limit values

To date, no national critical limit values exist.

### 8.2. Exposure controls



## Appropriate engineering controls

The usual precautionary measures are to be adhered to when handling chemicals.

## Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

### Eye/face protection

Wear eye protection/face protection. Dust protection eye glasses

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves must be worn with the above together with the supplier of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

## Skin protection

Wear suitable protective clothing.

## **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

| Physical state: | Liquid |
|-----------------|--------|
| Colour:         | brown  |



| Fosser Drive Formula 10W-40              |  |              |  |  |  |
|--|--|--------------|--|--|--|
| Revision date: 16.06.2020                |  | Page 5 of 8  |  |  |  |
| Odour:                                   | Mineral-oil-like                                       |              |  |  |  |
|  |  | Test method  |  |  |  |
| pH-Value:                                | not determined   |              |  |  |  |
| Changes in the physical state            |  |              |  |  |  |
| Melting point:                           | not determined   |              |  |  |  |
| Initial boiling point and boiling range: | not determined   |              |  |  |  |
| Pour point:                              | -36 °C   | ISO 3016     |  |  |  |
| Flash point:                             | 222 °C   | DIN ISO 2592 |  |  |  |
| Flammability                             |  |              |  |  |  |
| Solid:                                   | not applicable   |              |  |  |  |
| Gas:                                     | not applicable   |              |  |  |  |
| Explosive properties                     |  |              |  |  |  |
|  | rmation of explosive air/vapour mixtures are possible. |              |  |  |  |
| Lower explosion limits:                  | 0,6 vol. %   |              |  |  |  |
| Upper explosion limits:                  | 6,5 vol. %   |              |  |  |  |
| Auto-ignition temperature                |  |              |  |  |  |
| Solid:<br>Gas:                           | not applicable<br>not applicable                       |              |  |  |  |
| -  | not determined   |              |  |  |  |
| Decomposition temperature:               | not determined   |              |  |  |  |
| Oxidizing properties<br>Not oxidising.   |  |              |  |  |  |
| Vapour pressure:                         | not determined   |              |  |  |  |
| Density (at 20 °C):                      | 0,858 g/cm³  | DIN 51757    |  |  |  |
| Water solubility:                        | Immiscible   |              |  |  |  |
| Solubility in other solvents             |  |              |  |  |  |
| not determined                           |  |              |  |  |  |
| Partition coefficient:                   | not determined   |              |  |  |  |
| Viscosity / kinematic:<br>(at 40 °C)     | 97,4 mm²/s   | DIN 51562    |  |  |  |
| Vapour density:                          | not determined   |              |  |  |  |
| Evaporation rate:                        | not determined   |              |  |  |  |
| 9.2. Other information                   |  |              |  |  |  |
| Solid content:                           | not determined   |              |  |  |  |
|  |  |              |  |  |  |

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

# 10.2. Chemical stability

No decomposition if used according to specifications.

# 10.3. Possibility of hazardous reactions

Oxidising agent, strong



| Fosser | Drive | Formula | 10W-40 |
|--------|-------|---------|--------|
|--------|-------|---------|--------|

Revision date: 16.06.2020

Page 6 of 8

# 10.4. Conditions to avoid

No information available.

## 10.5. Incompatible materials No information available.

## 10.6. Hazardous decomposition products

No information available.

## **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

## Acute toxicity

| CAS No     | Chemical name   |               |       |         |              |          |
|------------|---|---------------|-------|---------|--------------|----------|
|            | Exposure route  | Dose          |       | Species | Source       | Method   |
| 64742-54-7 | Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic |               |       |         |              |          |
|            | oral  | LD50<br>mg/kg | >5000 | Rat     | ECHA Dossier | OECD 401 |
|            | dermal  | LD50<br>mg/kg | >2000 | Rabbit  | ECHA Dossier | OECD 402 |

## Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

## Further information

The product contains less than 3% DMSO extract (method IP346). A classification as a carcinogen with R45 is deleted. (Note L)

## **SECTION 12: Ecological information**

# 12.1. Toxicity

# The product is not: Ecotoxic.

## 12.2. Persistence and degradability

The product has not been tested.

| CAS No     | Chemical name   |       |    |              |  |  |  |
|------------|---|-------|----|--------------|--|--|--|
|            | Method  | Value | d  | Source       |  |  |  |
|            | Evaluation  |       |    |              |  |  |  |
| 64742-54-7 | Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic |       |    |              |  |  |  |
|            | OECD 301F/ ISO 9408/ EEC 92/69/V, C.4-D                                       | 31%   | 28 | ECHA Dossier |  |  |  |
|            | Not readily biodegradable (according to OECD criteria)                        |       |    |              |  |  |  |
|            | OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C 2-4% 28 ECHA Dossier                  |       |    |              |  |  |  |
|            | Not readily biodegradable (according to OECD criteria)                        |       |    |              |  |  |  |

## 12.3. Bioaccumulative potential

Based on the n-octanol/water partition coefficient accumulation in organisms is not expected.

## 12.4. Mobility in soil

The product can easily be separated by an oil separator (skimmer) of the water surface.

## 12.5. Results of PBT and vPvB assessment

The product has not been tested.



Fosser Drive Formula 10W-40

Revision date: 16.06.2020

### 12.6. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

## Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

## **SECTION 14: Transport information**

### Land transport (ADR/RID)

No dangerous good in sense of this transport regulation. 14.1. UN number: 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Inland waterways transport (ADN) 14.1. UN number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Marine transport (IMDG) 14.1. UN number: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Air transport (ICAO-TI/IATA-DGR) No dangerous good in sense of this transport regulation. 14.1. UN number: 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: no 14.6. Special precautions for user No dangerous good in sense of this transport regulation.

# **14.7. Transport in bulk according to Annex II of Marpol and the IBC Code** No dangerous good in sense of this transport regulation.

Page 7 of 8



## Fosser Drive Formula 10W-40

Revision date: 16.06.2020

Page 8 of 8

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### National regulatory information

Water contaminating class (D):

2 - clearly water contaminating

## 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,12,13,15,16.

## Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

# Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways. H413

May cause long lasting harmful effects to aquatic life.

## **Further Information**

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singulary responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)