

## Safety Data Sheet

### Fosser TSG 75W-90 GL 4

Revision date: 22.06.2020

Page 1 of 9

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Fosser TSG 75W-90 GL 4

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.3. Details of the supplier of the safety data sheet

Duran Lubricants & Chemicals GmbH  
Street: Rodderheide 3-7  
Place: D-33824 Werther  
Telephone: +49 (0)5203-901510 Telefax: +49 (0)5203-901515  
E-Mail: info@duran-oil.com  
Internet: www.fosser.de

**1.4. Emergency Telephone number:** Giftinformationszentrum Nord (Göttingen) - +49(0)551/19240

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Regulation (EC) No. 1272/2008

Hazard categories:

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Harmful to aquatic life with long lasting effects.

##### 2.2. Label elements

###### Regulation (EC) No. 1272/2008

###### Hazard statements

H412 Harmful to aquatic life with long lasting effects.

###### Precautionary statements

P103 Read label before use.  
P102 Keep out of reach of children.  
P101 If medical advice is needed, have product container or label at hand.  
P273 Avoid release to the environment.  
P501 Dispose of contents/container to an appropriate recycling or disposal facility.

##### 2.3. Other hazards

No information available.

#### SECTION 3: Composition/information on ingredients

##### 3.2. Mixtures

###### Chemical characterization

Preparation of synthetic oils and additives.

## Safety Data Sheet

### Fosser TSG 75W-90 GL 4

Revision date: 22.06.2020

Page 2 of 9

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
1213789-63-9	Z)-octadec-9-enylamine, C16-18-(even numbered,			< = 1 %
	627-034-4		01-2119473797-19	
	Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, STOT SE 3, STOT RE 2, Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H318 H335 H373 H304 H400 H410			
	Reaction products of bis (2-methylpentan-2-yl) dithiophosphoric acid with phosphore, propylene oxide and amine, C 12-14 -alkyl (branched)			< = 1 %
	931-384-6		01-2119493620-38	
	Acute Tox. 4, Eye Dam. 1, Skin Sens. 1, Aquatic Chronic 2; H302 H318 H317 H411			

Full text of H and EUH statements: see section 16.

#### Further Information

The product contains less than 3% DMSO extract (method IP346). A classification as a carcinogen with R45 is deleted. (Note L)

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

Remove affected person from the danger area and lay down.

##### After inhalation

Provide fresh air.

IF INHALED: Call a doctor if you feel unwell.

##### After contact with skin

Take off immediately all contaminated clothing and wash it before reuse.

After contact with skin, wash immediately with plenty of water and soap.

##### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

##### After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Carbon dioxide (CO<sub>2</sub>). Extinguishing powder

In case of major fire and large quantities: Water spray jet

##### Unsuitable extinguishing media

High power water jet.

## Safety Data Sheet

### Fosser TSG 75W-90 GL 4

Revision date: 22.06.2020

Page 3 of 9

#### **5.2. Special hazards arising from the substance or mixture**

Non-flammable. In case of fire may be liberated:  
Sulphur dioxide (SO<sub>2</sub>) Carbon dioxide (CO<sub>2</sub>) Carbon monoxide

#### **5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protection equipment.

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

#### **6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### **6.4. Reference to other sections**

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

No special measures are necessary.

##### **Advice on protection against fire and explosion**

No special fire protection measures are necessary.

#### **7.2. Conditions for safe storage, including any incompatibilities**

##### **Requirements for storage rooms and vessels**

Keep container tightly closed.

##### **Hints on joint storage**

No special measures are necessary.

### **SECTION 8: Exposure controls/personal protection**

#### **8.1. Control parameters**

## Safety Data Sheet

### Fosser TSG 75W-90 GL 4

Revision date: 22.06.2020

Page 4 of 9

#### DNEL/DMEL values

CAS No	Substance		
DNEL type	Exposure route	Effect	Value
	Reaction products of bis (2-methylpentan-2-yl) dithiophosphoric acid with phosphore, propylene oxide and amine, C 12-14 -alkyl (branched)		
Worker DNEL, long-term	inhalation	systemic	8,56 mg/m <sup>3</sup>
Worker DNEL, long-term	dermal	systemic	12,5 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	2,2 mg/m <sup>3</sup>
Consumer DNEL, long-term	dermal	systemic	6,25 mg/kg bw/day
Consumer DNEL, acute	dermal	local	0,024 mg/cm <sup>2</sup>
Consumer DNEL, long-term	oral	systemic	0,25 mg/kg bw/day

#### PNEC values

CAS No	Substance	
Environmental compartment	Value	
	Reaction products of bis (2-methylpentan-2-yl) dithiophosphoric acid with phosphore, propylene oxide and amine, C 12-14 -alkyl (branched)	
Freshwater	0,001 mg/l	
Freshwater (intermittent releases)	0,085 mg/l	
Marine water	0,0001 mg/l	
Freshwater sediment	14,4 mg/kg	
Marine sediment	1,44 mg/kg	
Micro-organisms in sewage treatment plants (STP)	24,33 mg/l	
Soil	10 mg/kg	

#### Additional advice on limit values

To date, no national critical limit values exist.

#### 8.2. Exposure controls



##### Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

##### Eye/face protection

Wear eye protection/face protection.

##### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

## Safety Data Sheet

### Fosser TSG 75W-90 GL 4

Revision date: 22.06.2020

Page 5 of 9

#### Skin protection

Wear suitable protective clothing.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	brown
Odour:	Mineral-oil-like

#### Test method

pH-Value:	not determined
-----------	----------------

#### Changes in the physical state

Melting point:	not determined
Initial boiling point and boiling range:	not determined
Pour point:	-42 °C ISO 3016
Flash point:	216 °C DIN ISO 2592

#### Flammability

Solid:	not applicable
Gas:	not applicable

#### Explosive properties

Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

Lower explosion limits:	0,6 vol. %
Upper explosion limits:	6,5 vol. %

#### Auto-ignition temperature

Solid:	not applicable
Gas:	not applicable

Decomposition temperature:	not determined
----------------------------	----------------

#### Oxidizing properties

Not oxidising.

Vapour pressure: (at 20 °C)	not determined
--------------------------------	----------------

Density (at 20 °C):	0,883 g/cm <sup>3</sup> DIN 51757
---------------------	-----------------------------------

Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.
-------------------	--

#### Solubility in other solvents

not determined

Partition coefficient:	not determined
------------------------	----------------

Viscosity / kinematic: (at 40 °C)	115 mm <sup>2</sup> /s DIN 51562
--------------------------------------	----------------------------------

Vapour density:	not determined
-----------------	----------------

Evaporation rate:	not determined
-------------------	----------------

## Safety Data Sheet

### Fosser TSG 75W-90 GL 4

Revision date: 22.06.2020

Page 6 of 9

#### 9.2. Other information

Solid content: not determined

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Oxidising agent, strong

#### 10.4. Conditions to avoid

No information available.

#### 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

##### Acute toxicity

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1213789-63-9	Z)-octadec-9-enylamine, C16-18-(even numbered,				
	oral	ATE 500 mg/kg			
	Reaction products of bis (2-methylpentan-2-yl) dithiophosphoric acid with phosphore, propylene oxide and amine, C 12-14 -alkyl (branched)				
	oral	LD50 2000 mg/kg	Rat	OECD 401	

### SECTION 12: Ecological information

#### 12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
	Reaction products of bis (2-methylpentan-2-yl) dithiophosphoric acid with phosphore, propylene oxide and amine, C 12-14 -alkyl (branched)					
	Acute fish toxicity	LC50 8,5 mg/l	96 h	Pimephales promelas (fathead minnow)	ECHA Dossier	
	Acute algae toxicity	ErC50 6,4 mg/l	96 h	Pseudokirchneriella subcapitata	ECHA Dossier	

## Safety Data Sheet

### Fosser TSG 75W-90 GL 4

Revision date: 22.06.2020

Page 7 of 9

#### **12.2. Persistence and degradability**

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
	Reaction products of bis (2-methylpentan-2-yl) dithiophosphoric acid with phosphore, propylene oxide and amine, C 12-14 -alkyl (branched)			
	ASTM D-5864-95	3,6%	28	
	ECHA Dossier			

#### **12.3. Bioaccumulative potential**

The product has not been tested.

#### **12.4. Mobility in soil**

The product has not been tested.

#### **12.5. Results of PBT and vPvB assessment**

The product has not been tested.

#### **12.6. Other adverse effects**

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### SECTION 13: Disposal considerations

#### **13.1. Waste treatment methods**

##### **Advice on disposal**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

##### **Contaminated packaging**

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

### SECTION 14: Transport information

#### **Land transport (ADR/RID)**

- |   |  |
|---|--|
| <b><u>14.1. UN number:</u></b>                  | No dangerous good in sense of this transport regulation. |
| <b><u>14.2. UN proper shipping name:</u></b>    | No dangerous good in sense of this transport regulation. |
| <b><u>14.3. Transport hazard class(es):</u></b> | No dangerous good in sense of this transport regulation. |
| <b><u>14.4. Packing group:</u></b>              | No dangerous good in sense of this transport regulation. |

#### **Inland waterways transport (ADN)**

- |   |  |
|---|--|
| <b><u>14.1. UN number:</u></b>                  | No dangerous good in sense of this transport regulation. |
| <b><u>14.2. UN proper shipping name:</u></b>    | No dangerous good in sense of this transport regulation. |
| <b><u>14.3. Transport hazard class(es):</u></b> | No dangerous good in sense of this transport regulation. |
| <b><u>14.4. Packing group:</u></b>              | No dangerous good in sense of this transport regulation. |

#### **Marine transport (IMDG)**

- |  |  |
|--|--|
| <b><u>14.1. UN number:</u></b>               | No dangerous good in sense of this transport regulation. |
| <b><u>14.2. UN proper shipping name:</u></b> | No dangerous good in sense of this transport regulation. |

## Safety Data Sheet

### Fosser TSG 75W-90 GL 4

Revision date: 22.06.2020

Page 8 of 9

**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

#### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** No dangerous good in sense of this transport regulation.

**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

#### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

##### National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Water contaminating class (D): 2 - clearly water contaminating

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### Changes

This data sheet contains changes from the previous version in section(s): 2,3,4,5,6,9,10,11,12,13,15,16.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%



## Safety Data Sheet

### Fosser TSG 75W-90 GL 4

Revision date: 22.06.2020

Page 9 of 9

#### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

#### Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*